


# Sea Area Monitoring

March 03, 2015

Nuclear Regulation Authority (NRA), Japan

# Sea area within 2km radius from the NPS



Fukushima Daiichi-NPS

Sampling point	Sampling Date	Cs-134	Cs-137	total $\beta$	H-3	Sr-90	total $\alpha$	Pu-238	Pu-239+Pu-240
----------------	---------------	--------	--------	---------------	-----	-------	----------------	--------	---------------

Sea water radioactivity (Bq/L):  
 ND: under detection limits; Numbers in parentheses: detection limits  
 \*1: Total  $\beta$ : including K-40 \*2: Total  $\beta$ : excluding K-40

T-1	2015/2/16	ND(0.67)	ND(0.72)	13 <sup>*1</sup>	ND(1.5)				
	2015/1/5	ND(0.74)	ND(0.53)	9.9 <sup>*1</sup>	ND(1.5)	0.032	ND(1.6)		
	2014/10/21	ND(0.69)	ND(0.83)					ND(5.1 × 10 <sup>-6</sup> )	(9.4 ± 2.2) × 10 <sup>-6</sup>
F-P02	2015/1/14	ND(0.070)	0.069	0.05 <sup>*2</sup>	ND(0.44)	0.047		ND(7 × 10 <sup>-6</sup> )	7 × 10 <sup>-6</sup>
T-0-1A	2015/2/17	ND(0.73)	ND(0.64)	ND(17) <sup>*1</sup>	In progress				
	2015/2/10	ND(0.65)	ND(0.54)	ND(15) <sup>*1</sup>	ND(1.5)				
T-0-1	2015/2/17	ND(0.68)	ND(0.60)	ND(17) <sup>*1</sup>	In progress				
	2015/2/10	ND(0.66)	ND(0.58)	ND(15) <sup>*1</sup>	ND(1.5)				
M-101	2015/1/8	0.039	0.14		In progress	In progress			
	2014/12/9	0.018	0.062		0.15	In progress			
	2014/11/6	0.021	0.070		0.18	0.0087			
F-P03	2015/1/14	ND(0.070)	0.082	0.12 <sup>*2</sup>	ND(0.44)	0.052		ND(6 × 10 <sup>-6</sup> )	ND(7 × 10 <sup>-6</sup> )
T-0-2	2015/2/17	ND(0.56)	ND(0.53)	ND(17) <sup>*1</sup>	In progress				
	2015/2/10	ND(0.58)	ND(0.58)	ND(15) <sup>*1</sup>	ND(1.5)				
M-102	2015/1/9	0.033	0.11		In progress	In progress			
	2014/12/10	0.057	0.18		0.31	In progress			
	2014/11/5	0.015	0.047		0.11	0.0036			
T-0-3A	2015/2/17	ND(0.57)	ND(0.50)	ND(17) <sup>*1</sup>	In progress				
	2015/2/10	ND(0.63)	ND(0.53)	ND(15) <sup>*1</sup>	ND(1.5)				
F-P01	2015/1/14	ND(0.059)	ND(0.051)	0.04 <sup>*2</sup>	ND(0.43)	0.008		ND(8 × 10 <sup>-6</sup> )	ND(6 × 10 <sup>-6</sup> )
T-0-3	2015/2/17	ND(0.66)	ND(0.62)	ND(17) <sup>*1</sup>	In progress				
	2015/2/10	ND(0.70)	ND(0.56)	ND(15) <sup>*1</sup>	ND(1.5)				
T-2-1	2015/2/16	ND(0.71)	ND(0.60)	12 <sup>*1</sup>	ND(1.5)				
	2015/1/5	ND(0.83)	ND(0.59)	11 <sup>*1</sup>	ND(1.5)	0.013	ND(1.6)		
	2014/10/21	ND(0.81)	1.1	11 <sup>*1</sup>				ND(5.3 × 10 <sup>-6</sup> )	(1.2 ± 0.25) × 10 <sup>-5</sup>


# Sea area between 2-20km radius from the NPS (1)

Sampling point	Sampling Date	Cs-134	Cs-137	total $\beta$	H-3	Sr-90	total $\alpha$	Pu-238	Pu-239+Pu-240	S	S:2m below sea level
----------------	---------------	--------	--------	---------------	-----	-------	----------------	--------	---------------	---	----------------------

Sea water radioactivity (Bq/L):

ND: under detection limits; Numbers in parentheses: detection limits

\*1: Total  $\beta$ : including K-40 \*2: Total  $\beta$ : excluding K-40




T-D1	2015/1/6	0.0028	0.0088	ND(16) <sup>*1</sup>	ND(0.34)	ND(0.0095)	ND(1.9)			S
	2014/12/16	0.0090	0.033	ND(17) <sup>*1</sup>	ND(0.30)					S
	2014/10/8	0.022	0.070					ND( $6.2 \times 10^{-6}$ )	( $5.5 \pm 1.7$ ) $\times 10^{-6}$	S
T-6	2015/1/6	0.016	0.043	ND(15) <sup>*1</sup>	0.44					S
F-P06	2015/1/14	ND(0.058)	ND(0.049)	0.03 <sup>*2</sup>	ND(0.44)	0.004		ND( $9 \times 10^{-6}$ )	ND( $7 \times 10^{-6}$ )	S
M-103	2015/1/8	0.0044	0.015		In progress	In progress				0.5m
	2014/12/9	0.010	0.035		0.093	In progress				0.5m
	2014/11/6	0.0094	0.035		0.12	0.0025				0.5m
F-P04	2015/1/14	ND(0.074)	ND(0.065)	0.04 <sup>*2</sup>	ND(0.44)	0.005		ND( $7 \times 10^{-6}$ )	$9 \times 10^{-6}$	S
T-5	2015/1/5	ND(0.0014)	0.0047	ND(16) <sup>*1</sup>	ND(0.34)	ND(0.0087)	ND(1.6)			S
	2014/12/15	ND(0.0013)	0.0035	ND(17) <sup>*1</sup>	ND(0.30)					S
	2014/10/18	ND(0.0013)	0.0026					ND( $5.4 \times 10^{-6}$ )	( $6.6 \pm 1.8$ ) $\times 10^{-6}$	S
T-D5	2015/1/6	0.0027	0.0094	ND(16) <sup>*1</sup>	ND(0.34)	ND(0.0097)	ND(1.9)			S
	2014/12/16	0.017	0.050	ND(17) <sup>*1</sup>	ND(0.30)					S
	2014/10/8	0.024	0.067					ND( $6.1 \times 10^{-6}$ )	( $8.4 \pm 2.2$ ) $\times 10^{-6}$	S
M-104	2015/1/9	0.019	0.070		In progress	In progress				0.5m
	2014/12/10	0.0081	0.028		0.090	In progress				0.5m
	2014/11/5	0.0096	0.035		0.12	0.0039				0.5m
F-P05	2015/1/14	ND(0.061)	ND(0.060)	0.04 <sup>*2</sup>	ND(0.44)	0.004		ND( $8 \times 10^{-6}$ )	ND( $6 \times 10^{-6}$ )	S
T-D9	2015/1/5	0.0027	0.0087	ND(16) <sup>*1</sup>	ND(0.34)	ND(0.0093)	ND(1.6)			S
	2014/12/22	ND(0.0017)	0.0069	ND(17) <sup>*1</sup>	ND(0.30)					S
	2014/10/18	0.012	0.036					ND( $4.8 \times 10^{-6}$ )	( $5.0 \pm 1.6$ ) $\times 10^{-6}$	S
T-3	2015/1/6	0.021	0.052	ND(15) <sup>*1</sup>	ND(0.29)					S

# Sea area between 2-20km radius from the NPS (2)

Sampling point	Sampling Date	Cs-134	Cs-137	S/B	S:2m below sea level B:2-3m above sea bottom
----------------	---------------	--------	--------	-----	---

Sea water radioactivity (Bq/L):

ND: under detection limits; Numbers in parentheses: detection limits



# Sea area between 20-100km radius from the NPS(1)

Sampling point	Sampling Date	Cs-134	Cs-137	Sr-90	S/B
					S:2m below sea level B:2-3m above sea bottom
Depth(m) from sea level					

Sea water radioactivity (Bq/L):

ND: under detection limits; Numbers in parentheses: detection limits

T-MA	2014/12/15	ND(0.0014)	0.0072		S
		0.0022	0.0071		B

T-13-1	2014/12/15	0.0032	0.015		S
		0.0038	0.012		B

T-7	2015/1/6	ND(0.0013)	0.0035		S
		ND(0.0012)	0.0032		B

T-4	2015/1/13	0.014	0.046		S
	2015/1/6	0.017	0.043		S

T-12	2014/12/23	0.0033	0.014		S
		0.0018	0.0088		B

T-17-1	2014/12/23	0.0055	0.016		S
		0.0034	0.012		B

M-C1	2014/11/3	0.0011	0.0044	0.0011	1m
		ND(0.00071)	0.0032		44m

T-B1	2014/12/16	ND(0.0014)	0.0049		S
		ND(0.0014)	0.0058		B

M-D1	2014/11/9	ND(0.00058)	0.0019	0.00085	1m
		0.00085	0.0029		50m
		ND(0.00062)	0.0020		113m


T-B2	2014/12/16	0.0019	0.0074		S
		ND(0.0013)	0.0074		B

M-E1	2014/11/17	ND(0.00057)	0.0021	0.0010	1m
		ND(0.00063)	0.0022		50m
		ND(0.00062)	0.0025		124m

M-F1	2014/11/12	ND(0.00063)	0.0019		1m
		ND(0.00072)	0.0033		125m

M-G1	2014/11/12	ND(0.00059)	0.0022		1m
		0.00086	0.0035		130m

M-G0	2014/11/18	ND(0.00060)	0.0022		1m
		ND(0.00064)	0.0025		50m
		ND(0.00074)	0.0038		96m




# Sea area between 20-100km radius from the NPS(2)

Sampling point	Sampling Date	Cs-134	Cs-137	Total β*	H-3	Sr-90	S/B	S:2m below sea level B:2-3m above sea bottom
							Depth(m) from sea level	

Sea water radioactivity (Bq/L):

ND: under detection limits; Numbers in parentheses: detection limits

\*Total β: excluding K-40




# Sea area along and off the coast of Miyagi Prefecture

Sampling point	Sampling Date	Cs-134	Cs-137	Sr-90	S/M/B
----------------	---------------	--------	--------	-------	-------

S:2m below sea level  
M:between 2m below sea level and 2-3m above sea bottom  
B:2-3m above sea bottom

Sea water radioactivity (Bq/L):  
ND: under detection limits; Numbers in parentheses: detection limits




# Sea area along and off the coast of Ibaraki Pref. and Chiba Pref.

Sampling point	Sampling Date	Cs-134	Cs-137	Sr-90	S/B	S:2m below sea level	B:2-3m above sea bottom
					Depth(m) from sea level		

Sea water radioactivity (Bq/L):

ND: under detection limits; Numbers in parentheses: detection limits





# Open sea off the coast of Eastern Japan

Sampling point	Sampling Date	Cs-134	Cs-137	Depth(m) from sea level
----------------	---------------	--------	--------	-------------------------

Sea water radioactivity (Bq/L):

ND: under detection limits; Numbers in parentheses: detection limits

M-10	2014/10/22	ND(0.00073)	0.0018	1m
		ND(0.00061)	0.0017	103m
		ND(0.00065)	0.0013	200m
		ND(0.00066)	0.0010	301m
		ND(0.00061)	0.00060	498m

M-11	2014/10/25	ND(0.00065)	0.0018	1m
		ND(0.00060)	0.0031	100m
		ND(0.00059)	0.0020	200m
		ND(0.00057)	0.0014	300m
		ND(0.00059)	0.0011	500m

M-14	2014/10/24	ND(0.00065)	0.0023	1m
		0.00064	0.0028	100m
		ND(0.00061)	0.0017	200m
		ND(0.00071)	0.0012	300m
		ND(0.00067)	0.00073	500m

M-15	2014/10/25	ND(0.00057)	0.0020	1m
		ND(0.00064)	0.0026	100m
		ND(0.00061)	0.0015	200m
		ND(0.00059)	0.0013	300m
		ND(0.00058)	0.00066	500m

M-19	2014/10/28	ND(0.00058)	0.0018	1m
		ND(0.00052)	0.0027	100m
		0.0013	0.0045	200m
		ND(0.00063)	0.0034	300m
		ND(0.00055)	0.0017	500m

M-21	2014/10/26	ND(0.00058)	0.0015	1m
		ND(0.00065)	0.0026	100m
		0.0010	0.0041	200m
		0.00080	0.0042	300m
		0.00068	0.0029	500m

M-20	2014/10/29	ND(0.00066)	0.0016	1m
		ND(0.00062)	0.0027	100m
		0.0016	0.0046	200m
		ND(0.00078)	0.0045	300m
		ND(0.00069)	0.0014	500m

M-26	2014/10/27	ND(0.00070)	0.0016	1m
		0.00095	0.0030	100m
		0.00074	0.0027	200m
		ND(0.00062)	0.0026	300m
		ND(0.00065)	0.00093	500m

M-25	2014/10/27	ND(0.00061)	0.0016	1m
		ND(0.00056)	0.0029	100m
		ND(0.00058)	0.0029	200m
		ND(0.00071)	0.0021	300m
		ND(0.00056)	0.00083	500m

M-27	2014/10/26	ND(0.00063)	0.0016	1m
		ND(0.00062)	0.0025	100m
		0.00070	0.0030	200m
		ND(0.00063)	0.0024	300m
		ND(0.00056)	0.0014	500m

