

Cs-134	Cs-137	H-3	全α (gross α)	全β (gross β)	Sr-90	Pu-238	Pu-239+240
放射性物質濃度(検出下限値)(Bq/L)(ND※2:不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND※2: Not Detectable)							

T-5	2018/10/15 7:17	ND(0.0012)	0.0025	ND(0.35)		ND(15)			O
		ND(0.0014)	0.0026						L
	2018/10/23 7:26	ND(0.0011)	0.0017						O
		ND(0.0012)	0.0019						L
	2018/10/29 7:25	ND(0.0014)	0.0036						O
		ND(0.0012)	0.0034						L
	2018/11/5 7:26	ND(0.0012)	0.0016	ND(0.35)	ND(2.0)	ND(16)	0.0011		O
		ND(0.0014)	0.0025						L
	2018/11/16 7:22	ND(0.0013)	0.0028						O
		ND(0.0014)	0.0027						L
	2018/11/19 7:29	ND(0.0010)	0.0022	ND(0.33)		ND(17)			O
		ND(0.0011)	0.0020						L
	2018/11/27 7:19	ND(0.0010)	0.0031						O
		ND(0.0011)	0.0021						L
	2018/12/4 7:29	ND(0.0011)	0.0019	ND(0.34)	ND(2.1)	ND(15)	0.0021		O
		ND(0.0014)	0.0029						L
2018/12/10 7:22	ND(0.00096)	0.0021						O	
	ND(0.0012)	0.0028						L	
2018/12/21 7:31	ND(0.0012)	0.0020	ND(0.29)		ND(15)			O	
	ND(0.0014)	0.0042						L	
2018/12/25 7:11	ND(0.0013)	0.0027						O	
	ND(0.0013)	0.0034						L	
2019/1/4 7:31	ND(0.0011)	0.0028	ND(0.29)	ND(1.9)	ND(14)	0.0019		O	
	ND(0.0013)	0.0024						L	
2019/1/7 7:11	ND(0.0012)	0.0019						O	
	ND(0.0013)	0.0034						L	
2019/1/17 8:27	ND(0.0012)	0.0024	ND(0.34)		ND(18)			O	
	ND(0.0014)	0.0037						L	
2019/1/23 8:03	ND(0.0013)	0.0029						O	
	ND(0.0014)	0.0049						L	
2019/1/28 7:18	ND(0.0011)	0.0031						O	
	ND(0.0012)	0.0052						L	

T-D1	2018/10/15 8:06	ND(0.0013)	0.0053	ND(0.35)		ND(15)			O
		ND(0.0014)	0.0047						L
	2018/10/22 8:13	ND(0.0013)	0.0068						O
		ND(0.0014)	0.0046						L
	2018/10/29 8:13	0.0017	0.021						O
		ND(0.0011)	0.0048						L
	2018/11/5 8:23	ND(0.0010)	0.0041	ND(0.35)	ND(2.2)	ND(16)	0.0013		O
		ND(0.0012)	0.0038						L
	2018/11/15 8:21	ND(0.0012)	0.0048						O
		ND(0.0011)	0.0064						L
	2018/11/19 8:25	ND(0.0013)	0.0048	ND(0.33)		ND(17)			O
		ND(0.0012)	0.0064						L
	2018/11/26 7:59	ND(0.0014)	0.0094						O
		ND(0.0013)	0.0031						L
	2018/12/4 8:11	ND(0.0012)	0.0075	ND(0.34)	ND(1.9)	ND(15)	0.0012		O
		ND(0.0012)	0.0050						L
	2018/12/10 8:06	ND(0.0014)	0.0054						O
		ND(0.0014)	0.0060						L
	2018/12/18 8:10	ND(0.0011)	0.0044	ND(0.29)		ND(16)			O
		ND(0.0012)	0.0047						L
2018/12/25 7:54	ND(0.0014)	0.0038						O	
	ND(0.0011)	0.0039						L	
2019/1/4 8:16	ND(0.0012)	0.0061	0.39	ND(1.9)	ND(14)	0.0016		O	
	ND(0.0012)	0.0077						L	
2019/1/8 8:01	ND(0.0014)	0.0040						O	
	ND(0.0013)	0.0045						L	
2019/1/17 8:15	ND(0.0011)	0.0065	ND(0.34)		ND(18)			O	
	ND(0.0011)	0.0074						L	
2019/1/23 8:06	ND(0.0012)	0.0062						O	
	ND(0.0013)	0.0062						L	
2019/1/28 8:04	ND(0.0012)	0.0063						O	
	ND(0.0011)	0.0076						L	

{ O: 上層(表層~2m) Outer Layer
L: 下層(海底より2~3m上) Lower Layer

Cs-134	Cs-137	H-3	全α (gross α)	全β (gross β)	Sr-90	Pu-238	Pu-239+240
放射性物質濃度(検出下限値)(Bq/L) (ND※2: 不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND※2: Not Detectable)							

T-D5	2018/10/15 8:35	ND(0.0012) ND(0.0014)	0.0059 0.0038	ND(0.35)		ND(15)			O L
	2018/10/22 8:42	ND(0.0012) ND(0.0011)	0.0046 0.0028						O L
	2018/10/29 8:40	ND(0.0012) ND(0.0013)	0.0055 0.0053						O L
	2018/11/5 8:50	ND(0.0013) ND(0.0013)	0.0055 0.0022	ND(0.35)	ND(2.2)	ND(16)	0.0019		O L
	2018/11/15 8:55	ND(0.0012) ND(0.0013)	0.0059 0.0052						O L
	2018/11/19 8:54	ND(0.0013) ND(0.0013)	0.0044 0.0046	ND(0.33)		ND(17)			O L
	2018/11/26 8:25	ND(0.0012) ND(0.0014)	0.0036 0.0039						O L
	2018/12/4 8:36	ND(0.0014) ND(0.0011)	0.0053 0.0068	ND(0.34)	ND(1.9)	ND(15)	0.0016		O L
	2018/12/10 8:44	ND(0.0012) ND(0.0012)	0.0044 0.0048						O L
	2018/12/18 8:36	ND(0.0014) ND(0.0012)	0.0057 0.0051	ND(0.29)		ND(16)			O L
	2018/12/25 8:21	ND(0.0013) ND(0.0014)	0.0063 0.0039						O L
	2019/1/4 8:53	ND(0.0014) ND(0.0011)	0.0030 0.0053	ND(0.29)	ND(1.9)	ND(14)	0.0014		O L
	2019/1/8 8:29	ND(0.0012) ND(0.0011)	0.0026 0.0030						O L
	2019/1/17 8:52	ND(0.0011) ND(0.0012)	0.0057 0.0074	ND(0.34)		ND(18)			O L
	2019/1/23 8:37	ND(0.0014) ND(0.0012)	0.0031 0.0039						O L
	2019/1/28 8:35	ND(0.0011) ND(0.0012)	0.0046 0.0087						O L

T-D9	2018/10/15 8:02	ND(0.0014) ND(0.0011)	0.0055 0.0043	ND(0.35)		ND(15)			O L
	2018/10/23 8:17	ND(0.0013) ND(0.0013)	0.0053 0.0020						O L
	2018/10/29 8:11	ND(0.0012) ND(0.0014)	0.0046 0.0078						O L
	2018/11/5 8:18	ND(0.0014) ND(0.0011)	0.0052 0.0032	ND(0.35)	ND(2.0)	ND(16)	0.0016		O L
	2018/11/16 8:10	ND(0.0012) ND(0.0012)	0.0056 0.0053						O L
	2018/11/19 8:15	ND(0.0014) ND(0.0014)	0.0048 0.0054	0.38		ND(17)			O L
	2018/11/27 8:06	ND(0.0013) ND(0.0010)	0.0040 0.0037						O L
	2018/12/4 8:24	ND(0.0011) ND(0.0012)	0.0035 0.0051	ND(0.34)	ND(2.1)	ND(15)	0.0015		O L
	2018/12/10 8:09	ND(0.0013) ND(0.0014)	0.0065 0.0063						O L
	2018/12/18 7:25	ND(0.0011) ND(0.0011)	0.0026 0.0066	ND(0.29)		ND(16)			O L
	2018/12/25 8:13	ND(0.0014) ND(0.0011)	0.0034 0.0042						O L
	2019/1/4 8:17	ND(0.0013) ND(0.0012)	0.0030 0.0048	ND(0.29)	ND(1.9)	ND(14)	0.0012		O L
	2019/1/7 8:02	ND(0.0012) ND(0.0013)	0.0040 0.0048						O L
	2019/1/17 9:58	ND(0.0014) ND(0.0012)	0.0058 0.0055	0.42		ND(18)			O L
	2019/1/23 9:08	ND(0.0012) ND(0.0012)	0.0025 0.0030						O L
	2019/1/28 8:16	ND(0.0011) ND(0.0014)	0.0026 0.0063						O L

O: 上層(表層~2m) Outer Layer
 L: 下層(海底より2~3m上) Lower Layer

Cs-134

Cs-137

放射性物質濃度(検出下限値)(Bq/L)(ND※2:不検出)
Radioactivity concentration (Lower detection limit) (Bq/L) (ND※2: Not Detectable)

T-11	2018/10/15 8:31	ND(0.0012)	0.0065	O
		ND(0.0011)	0.0045	L
	2018/10/23 8:51	ND(0.0012)	0.0073	O
		ND(0.0012)	0.0029	L
	2018/10/29 8:39	ND(0.0013)	0.0079	O
		ND(0.0013)	0.0083	L
	2018/11/5 8:48	ND(0.0013)	0.0097	O
		ND(0.0012)	0.0054	L
	2018/11/16 8:39	ND(0.0011)	0.0078	O
		ND(0.0012)	0.0092	L
	2018/11/19 8:46	ND(0.0012)	0.010	O
		ND(0.0012)	0.0072	L
	2018/11/27 8:34	ND(0.0013)	0.0088	O
		ND(0.0011)	0.0061	L
	2018/12/4 8:53	ND(0.0013)	0.011	O
		ND(0.0013)	0.0076	L
	2018/12/10 8:38	ND(0.0011)	0.0033	O
		ND(0.0014)	0.0031	L
	2018/12/18 6:53	ND(0.0012)	0.0036	O
		ND(0.0013)	0.0043	L
2018/12/25 8:43	ND(0.0013)	0.0030	O	
	ND(0.0011)	0.0026	L	
2019/1/4 9:32	ND(0.0013)	0.0036	O	
	ND(0.0014)	0.0031	L	
2019/1/7 8:48	ND(0.0013)	0.0032	O	
	ND(0.0010)	0.0026	L	
2019/1/17 10:50	ND(0.0013)	0.0061	O	
	ND(0.0012)	0.0056	L	
2019/1/23 9:10	ND(0.0011)	0.0025	O	
	ND(0.0012)	0.0045	L	
2019/1/28 8:48	ND(0.0013)	0.0046	O	
	ND(0.0014)	0.0074	L	

T-14	2018/10/15 7:45	ND(0.0011)	0.0048	O
		ND(0.0012)	0.0041	L
	2018/10/22 7:53	ND(0.0012)	0.0041	O
		ND(0.0013)	0.0045	L
	2018/10/29 7:49	ND(0.0011)	0.0091	O
		ND(0.0012)	0.0057	L
	2018/11/5 7:58	ND(0.0013)	0.0056	O
		ND(0.0014)	0.0037	L
	2018/11/15 8:01	ND(0.0010)	0.0053	O
		ND(0.0011)	0.0046	L
	2018/11/19 8:00	ND(0.0012)	0.0039	O
		ND(0.0014)	0.0054	L
	2018/11/26 7:40	ND(0.0013)	0.0037	O
		ND(0.0013)	0.0048	L
	2018/12/4 7:44	ND(0.0011)	0.0040	O
		ND(0.0010)	0.0045	L
	2018/12/10 7:39	ND(0.0011)	0.0052	O
		ND(0.0010)	0.0040	L
	2018/12/18 7:50	ND(0.0013)	0.0033	O
		ND(0.0011)	0.0026	L
2018/12/25 7:34	ND(0.0013)	0.0036	O	
	ND(0.0013)	0.0042	L	
2019/1/4 7:44	ND(0.0013)	0.0043	O	
	ND(0.0012)	0.0051	L	
2019/1/8 7:40	ND(0.0013)	0.0034	O	
	ND(0.0012)	0.0046	L	
2019/1/17 7:45	ND(0.0012)	0.0052	O	
	ND(0.0012)	0.0055	L	
2019/1/23 7:44	ND(0.00099)	0.0038	O	
	ND(0.0010)	0.0056	L	
2019/1/28 7:41	ND(0.0014)	0.0040	O	
	ND(0.0014)	0.017	L	

O: 上層(表層~2m) Outer Layer
L: 下層(海底より2~3m上) Lower Layer

福島第一原子力発電所沿岸海域の海水採取ポイント
 (Seawater sampling points near and around Fukushima Dai-ichi NPP)



* 図中の×は東京電力ホールディングス(株)福島第一原子力発電所を示す。

* The legends × indicate the locations of TEPCO Fukushima Dai-ichi NPP, respectively.