

Cs-134	Cs-137	H-3	全α (gross α)	全β (gross β)	Sr-90	Pu-238	Pu-239+240
放射性物質濃度(検出下限値)(Bq/L)(ND※2:不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND※2: Not Detectable)							

T-5	2019/1/17 8:27	ND(0.0012) ND(0.0014)	0.0024 0.0037	ND(0.34)		ND(18)			O L
	2019/1/23 8:03	ND(0.0013) ND(0.0014)	0.0029 0.0049						O L
	2019/1/28 7:18	ND(0.0011) ND(0.0012)	0.0031 0.0052						O L
	2019/2/6 7:30	ND(0.0012) ND(0.0014)	0.0016 0.0036	ND(0.30)	ND(1.9)	ND(14)	0.0011		O L
	2019/2/13 8:14	ND(0.0014) ND(0.0012)	0.0031 0.0035						O L
	2019/2/18 7:10	ND(0.0011) ND(0.0013)	0.0023 0.0030	ND(0.33)		ND(19)			O L
	2019/2/27 7:32	ND(0.0012) ND(0.0012)	0.0024 0.0024						O L
	2019/3/9 7:17	ND(0.0010) ND(0.0011)	0.0025 0.0025	ND(0.33)	ND(2.5)	ND(16)	0.00086		O L
	2019/3/13 8:14	ND(0.0014) ND(0.0014)	0.0028 0.0032						O L
	2019/3/20 7:22	ND(0.0012) ND(0.0013)	0.0029 0.0023	ND(0.34)		ND(15)			O L
	2019/3/25 6:16	ND(0.0011) ND(0.0012)	0.0021 0.0033						O L
	2019/4/3 7:38	ND(0.0011) ND(0.0013)	0.0027 0.0024	ND(0.29)	ND(2.2)	ND(14)	0.0012		O L
	2019/4/10 7:12	ND(0.00097) ND(0.0011)	0.0014 0.0021					ND(0.0000039) ND(0.0000039)	O L
	2019/4/18 7:13	ND(0.0014) ND(0.0012)	0.0019 0.0021	ND(0.33)		ND(13)			O L
	2019/4/23 8:10	ND(0.0013) ND(0.0013)	0.0022 0.0033						O L
	2019/4/29 6:55	ND(0.0013) ND(0.0012)	0.0028 0.0036						O L

T-D1	2019/1/17 8:15	ND(0.0011) ND(0.0011)	0.0065 0.0074	ND(0.34)		ND(18)			O L
	2019/1/23 8:06	ND(0.0012) ND(0.0013)	0.0062 0.0062						O L
	2019/1/28 8:04	ND(0.0012) ND(0.0011)	0.0063 0.0076						O L
	2019/2/5 8:58	ND(0.00090) ND(0.00094)	0.0056 0.0047	ND(0.35)	ND(2.3)	ND(14)	0.0015		O L
	2019/2/13 9:18	ND(0.00098) ND(0.0011)	0.0044 0.0047						O L
	2019/2/18 7:45	ND(0.0013) ND(0.0012)	0.0051 0.0048	ND(0.35)		ND(19)			O L
	2019/2/28 8:17	0.0012 ND(0.0010)	0.012 0.0057						O L
	2019/3/9 8:37	ND(0.0013) ND(0.0013)	0.0053 0.0043	0.35	ND(2.5)	ND(16)	0.0013		O L
	2019/3/13 7:58	ND(0.0011) ND(0.0012)	0.0094 0.0098						O L
	2019/3/20 8:05	ND(0.0011) ND(0.0011)	0.0047 0.0056	ND(0.34)		ND(15)			O L
	2019/3/25 7:00	ND(0.0012) ND(0.0013)	0.0042 0.0048						O L
	2019/4/1 8:14	ND(0.0012) ND(0.0013)	0.0050 0.0060	ND(0.34)	ND(2.1)	ND(15)	0.00093		O L
	2019/4/8 8:18	ND(0.0013) ND(0.0014)	0.0043 0.0032					ND(0.0000054) ND(0.0000052)	O L
	2019/4/17 7:53	ND(0.0014) ND(0.0012)	0.0043 0.0040	ND(0.35)		ND(14)			O L
	2019/4/22 7:47	ND(0.0014) ND(0.0013)	0.0030 0.0031						O L
	2019/4/29 7:47	ND(0.0011) ND(0.0013)	0.0035 0.0054						O L

{ O: 上層(表層~2m) Outer Layer
L: 下層(海底より2~3m上) Lower Layer

Cs-134	Cs-137	H-3	全α (gross α)	全β (gross β)	Sr-90	Pu-238	Pu-239+240
放射性物質濃度(検出下限値)(Bq/L) (ND※2: 不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND※2: Not Detectable)							

T-D5	2019/1/17 8:52	ND(0.0011) ND(0.0012)	0.0057 0.0074	ND(0.34)		ND(18)			O L
	2019/1/23 8:37	ND(0.0014) ND(0.0012)	0.0031 0.0039						O L
	2019/1/28 8:35	ND(0.0011) ND(0.0012)	0.0046 0.0087						O L
	2019/2/5 9:26	ND(0.0010) ND(0.0012)	0.0057 0.0080	ND(0.35)	ND(2.3)	ND(14)	0.0011		O L
	2019/2/13 9:54	ND(0.0012) ND(0.0013)	0.0030 0.0034						O L
	2019/2/18 8:11	ND(0.0013) ND(0.0013)	0.0032 0.0060	ND(0.35)		ND(19)			O L
	2019/2/28 8:44	ND(0.0012) ND(0.0012)	0.0048 0.0040						O L
	2019/3/6 7:04	ND(0.0011) ND(0.0012)	0.0050 0.0035	0.48	ND(1.9)	ND(15)	0.0015		O L
	2019/3/13 8:26	ND(0.0012) ND(0.0013)	0.010 0.0057						O L
	2019/3/20 8:31	ND(0.0014) ND(0.0012)	0.011 0.0073	ND(0.34)		ND(15)			O L
	2019/3/25 7:28	ND(0.0013) ND(0.0014)	0.0067 0.0065						O L
	2019/4/1 8:49	ND(0.0013) ND(0.0012)	0.0043 0.0050	0.42	ND(2.1)	ND(15)	0.0016		O L
	2019/4/8 8:46	ND(0.0010) ND(0.0013)	0.0042 0.0032					ND(0.0000055) ND(0.0000051)	O L
	2019/4/17 8:17	ND(0.0011) ND(0.0012)	0.0073 0.0054	0.37		ND(14)			O L
	2019/4/22 8:15	ND(0.0012) ND(0.0014)	0.0065 0.0054						O L
	2019/4/29 8:14	ND(0.0013) ND(0.0014)	0.0036 0.0045						O L

T-D9	2019/1/17 9:58	ND(0.0014) ND(0.0012)	0.0058 0.0055	0.42		ND(18)			O L
	2019/1/23 9:08	ND(0.0012) ND(0.0012)	0.0025 0.0030						O L
	2019/1/28 8:16	ND(0.0011) ND(0.0014)	0.0026 0.0063						O L
	2019/2/6 8:30	ND(0.0014) ND(0.0012)	0.0027 0.0034	ND(0.30)	ND(1.9)	ND(14)	0.0014		O L
	2019/2/13 7:25	ND(0.0012) ND(0.0013)	0.0027 0.0021						O L
	2019/2/18 8:01	ND(0.0013) ND(0.0014)	0.0030 0.0033	ND(0.33)		ND(19)			O L
	2019/2/27 8:25	ND(0.0014) ND(0.0014)	0.0034 0.0067						O L
	2019/3/6 6:23	ND(0.0013) ND(0.0013)	0.0065 0.0079	ND(0.35)	ND(1.9)	ND(15)	0.00099		O L
	2019/3/13 9:27	ND(0.0012) ND(0.0012)	0.0076 0.0045						O L
	2019/3/20 8:08	ND(0.0013) ND(0.0014)	0.0083 0.0078	ND(0.34)		ND(15)			O L
	2019/3/25 7:01	ND(0.0010) ND(0.0011)	0.0037 0.0052						O L
	2019/4/1 7:46	ND(0.0011) ND(0.0012)	0.0052 0.0065	0.36	ND(2.2)	ND(15)	0.0015		O L
	2019/4/10 8:03	ND(0.0013) ND(0.0013)	0.0036 0.0037					ND(0.0000077) ND(0.0000079)	O L
	2019/4/18 8:11	ND(0.0013) ND(0.0012)	0.0075 0.0041	ND(0.33)		ND(13)			O L
	2019/4/23 9:16	ND(0.0013) ND(0.0012)	0.0040 0.0048						O L
	2019/4/29 7:37	ND(0.0013) ND(0.0012)	0.0065 0.0043						O L

O: 上層(表層~2m) Outer Layer
 L: 下層(海底より2~3m上) Lower Layer

Cs-134

Cs-137


放射性物質濃度(検出下限値)(Bq/L) (ND※2: 不検出)
Radioactivity concentration (Lower detection limit) (Bq/L) (ND※2: Not Detectable)

T-11	2019/1/17 10:50	ND(0.0013)	0.0061	O
		ND(0.0012)	0.0056	L
	2019/1/23 9:10	ND(0.0011)	0.0025	O
		ND(0.0012)	0.0045	L
	2019/1/28 8:48	ND(0.0013)	0.0046	O
		ND(0.0014)	0.0074	L
	2019/2/6 9:05	ND(0.0014)	0.0027	O
		ND(0.0012)	0.0029	L
	2019/2/13 6:58	ND(0.0013)	0.0042	O
		ND(0.0013)	0.0040	L
	2019/2/18 8:44	ND(0.0012)	0.0032	O
		ND(0.0014)	0.0039	L
	2019/2/27 8:54	ND(0.0013)	0.0030	O
		ND(0.0014)	0.0045	L
	2019/3/6 5:53	ND(0.0012)	0.0071	O
		ND(0.0012)	0.0075	L
	2019/3/13 10:05	ND(0.0013)	0.0076	O
		ND(0.0013)	0.0072	L
	2019/3/20 8:36	ND(0.0014)	0.0064	O
		ND(0.0013)	0.0064	L
2019/3/25 7:30	ND(0.0013)	0.0077	O	
	ND(0.0014)	0.0070	L	
2019/4/1 7:05	ND(0.0014)	0.012	O	
	ND(0.0014)	0.012	L	
2019/4/10 8:43	ND(0.0013)	0.0041	O	
	ND(0.0013)	0.0047	L	
2019/4/18 8:46	ND(0.0012)	0.0053	O	
	ND(0.0014)	0.0045	L	
2019/4/23 9:54	ND(0.0014)	0.0048	O	
	ND(0.0010)	0.0062	L	
2019/4/29 8:05	ND(0.0013)	0.0086	O	
	ND(0.0014)	0.0037	L	

T-14	2019/1/17 7:45	ND(0.0012)	0.0052	O
		ND(0.0012)	0.0055	L
	2019/1/23 7:44	ND(0.00099)	0.0038	O
		ND(0.0010)	0.0056	L
	2019/1/28 7:41	ND(0.0014)	0.0040	O
		ND(0.0014)	0.017	L
	2019/2/5 8:29	ND(0.0013)	0.0049	O
		ND(0.0013)	0.0050	L
	2019/2/13 8:52	ND(0.0013)	0.0032	O
		ND(0.0014)	0.0032	L
	2019/2/18 7:26	ND(0.0014)	0.0072	O
		ND(0.0014)	0.0086	L
	2019/2/28 7:58	ND(0.0014)	0.0034	O
		ND(0.0013)	0.0033	L
	2019/3/9 8:13	ND(0.0013)	0.0039	O
		ND(0.0014)	0.0054	L
	2019/3/13 7:36	ND(0.0014)	0.0052	O
		ND(0.0014)	0.0081	L
	2019/3/20 7:45	ND(0.0013)	0.0050	O
		ND(0.0014)	0.0049	L
2019/3/25 6:40	ND(0.0013)	0.0040	O	
	ND(0.0013)	0.0048	L	
2019/4/1 7:42	ND(0.0014)	0.0053	O	
	ND(0.0012)	0.0056	L	
2019/4/8 7:59	ND(0.0013)	0.0033	O	
	ND(0.0012)	0.0035	L	
2019/4/17 7:33	ND(0.0014)	0.0049	O	
	ND(0.0013)	0.0042	L	
2019/4/22 7:27	ND(0.0013)	0.0031	O	
	ND(0.0014)	0.0052	L	
2019/4/29 7:26	ND(0.0010)	0.0040	O	
	0.0013	0.0064	L	

O: 上層(表層~2m) Outer Layer
L: 下層(海底より2~3m上) Lower Layer

福島第一原子力発電所沿岸海域の海水採取ポイント
 (Seawater sampling points near and around Fukushima Dai-ichi NPP)



* 図中の×は東京電力ホールディングス(株)福島第一原子力発電所を示す。

* The legends × indicate the locations of TEPCO Fukushima Dai-ichi NPP, respectively.