

Cs-134	Cs-137	H-3	全α (gross α)	全β (gross β)	Sr-90	Pu-238	Pu-239+240
放射性物質濃度(検出下限値)(Bq/L)(ND※2:不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND※2: Not Detectable)							

T-5	2019/5/24 6:57	ND(0.00098) ND(0.0012)	0.0027 0.0016	ND(0.35)		ND(18)			O L
	2019/5/27 7:22	ND(0.0013) ND(0.0014)	0.0028 0.0015						O L
	2019/6/3 7:06	ND(0.0013) ND(0.0013)	0.0031 0.0017	ND(0.35)	ND(2.0)	ND(17)	0.0012		O L
	2019/6/14 6:57	ND(0.0011) ND(0.0012)	0.0022 0.0021						O L
	2019/6/18 7:22	ND(0.0013) ND(0.0013)	0.0026 0.0018	ND(0.33)		ND(15)			O L
	2019/6/26 7:17	ND(0.0011) ND(0.0013)	0.0040 0.0028						O L
	2019/7/1 7:15	ND(0.0012) ND(0.0011)	0.0024 0.0022	ND(0.34)	ND(2.4)	ND(15)	0.00080		O L
	2019/7/11 7:17	ND(0.0011) ND(0.0012)	0.0026 0.0028						O L
	2019/7/17 7:29	ND(0.0012) ND(0.0013)	0.0019 0.0029	ND(0.38)		ND(15)			O L
	2019/7/22 7:09	ND(0.0012) ND(0.0012)	0.0024 0.0029						O L
	2019/7/29 7:19	ND(0.0012) ND(0.0012)	0.0017 0.0024						O L
	2019/8/6 7:23	ND(0.0012) ND(0.0013)	0.0018 0.0017	0.40	ND(2.4)	ND(14)	0.0011		O L
	2019/8/17 7:30	ND(0.0012) ND(0.0013)	0.0027 0.0022						O L
	2019/8/20 7:12	ND(0.0013) ND(0.0014)	0.0030 0.0022	ND(0.35)		ND(15)			O L
	2019/8/27 7:18	ND(0.0013) ND(0.0012)	0.0020 0.0020						O L
	2019/9/4 7:26	ND(0.0012) ND(0.0013)	0.0021 0.0025						O L

T-D1	2019/5/24 7:45	ND(0.0014) ND(0.0014)	0.0054 0.0042	0.46		ND(18)			O L
	2019/5/28 8:00	ND(0.0011) ND(0.0011)	0.0048 0.0041						O L
	2019/6/3 8:14	ND(0.0012) ND(0.0013)	0.0042 0.0035	ND(0.35)	ND(2.3)	ND(17)	0.00068		O L
	2019/6/14 7:51	ND(0.0012) ND(0.0013)	0.0033 0.0030						O L
	2019/6/17 8:04	ND(0.0013) ND(0.0013)	0.0094 0.0087	ND(0.35)		ND(15)			O L
	2019/6/26 8:12	ND(0.0012) ND(0.0013)	0.0050 0.0047						O L
	2019/7/2 7:54	ND(0.0012) ND(0.0014)	0.0071 0.0058	ND(0.34)	ND(2.6)	ND(15)	0.00086		O L
	2019/7/10 7:55	ND(0.0012) ND(0.0012)	0.0055 0.0027						O L
	2019/7/18 8:08	ND(0.0011) ND(0.0012)	0.0029 0.0028	ND(0.36)		ND(18)			O L
	2019/7/22 8:06	ND(0.0011) ND(0.0013)	0.0049 0.0042						O L
	2019/7/29 8:10	ND(0.0011) ND(0.0012)	0.0047 0.0043						O L
	2019/8/8 8:21	ND(0.0011) ND(0.0011)	0.0030 0.0046	ND(0.36)	ND(2.6)	ND(16)	0.0011		O L
	2019/8/17 10:04	ND(0.0014) ND(0.0014)	0.0078 0.0039						O L
	2019/8/20 7:45	ND(0.0012) ND(0.0011)	0.0053 0.0044	ND(0.35)		ND(15)			O L
	2019/8/26 7:57	ND(0.0010) ND(0.0010)	0.0024 0.0049						O L
	2019/9/2 8:20	ND(0.00097) ND(0.0010)	0.0029 0.0012						O L

{ O: 上層(表層~2m) Outer Layer
{ L: 下層(海底より2~3m上) Lower Layer

Cs-134	Cs-137	H-3	全α (gross α)	全β (gross β)	Sr-90	Pu-238	Pu-239+240
放射性物質濃度(検出下限値)(Bq/L)(ND※2:不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND※2: Not Detectable)							

T-D5	2019/5/24 8:13	ND(0.0014) ND(0.0013)	0.0031 0.0029	0.56		ND(18)			O L
	2019/5/28 8:31	ND(0.0012) ND(0.0013)	0.011 0.0046						O L
	2019/6/3 8:39	ND(0.0013) ND(0.0014)	0.0052 0.0032	ND(0.35)	ND(2.3)	ND(17)	0.0011		O L
	2019/6/14 8:17	ND(0.0012) ND(0.0013)	0.0082 0.0033						O L
	2019/6/17 8:30	ND(0.0011) ND(0.0012)	0.0034 0.0042	ND(0.35)		ND(15)			O L
	2019/6/26 8:41	ND(0.0012) ND(0.0012)	0.0043 0.0037						O L
	2019/7/2 8:17	ND(0.0012) ND(0.0012)	0.0059 0.0023	ND(0.34)	ND(2.6)	ND(15)	0.0014		O L
	2019/7/10 8:19	ND(0.0013) ND(0.0014)	0.0066 0.0026						O L
	2019/7/18 8:33	ND(0.0013) ND(0.0011)	0.0036 0.0036	ND(0.36)		ND(18)			O L
	2019/7/22 8:32	ND(0.0013) ND(0.0012)	0.0044 0.0043						O L
	2019/7/29 8:43	ND(0.0012) ND(0.0012)	0.0041 0.0037						O L
	2019/8/8 8:44	ND(0.0010) ND(0.0012)	0.0046 0.0056	ND(0.36)	ND(2.6)	ND(16)	0.0013		O L
	2019/8/17 10:46	ND(0.0012) ND(0.0011)	0.0056 0.0036						O L
	2019/8/20 8:17	ND(0.0013) ND(0.0013)	0.0039 0.0040	ND(0.35)		ND(15)			O L
	2019/8/26 8:22	ND(0.0013) ND(0.0012)	0.0028 0.0039						O L
	2019/9/2 8:47	ND(0.0012) ND(0.0013)	0.0031 0.0021						O L

T-D9	2019/5/24 7:40	ND(0.0013) ND(0.0014)	0.0025 0.0043	0.51		ND(18)			O L
	2019/5/27 8:10	ND(0.0014) ND(0.0012)	0.0075 0.0037						O L
	2019/6/3 7:56	ND(0.0012) ND(0.0011)	0.0068 0.0036	ND(0.35)	ND(2.0)	ND(17)	0.0010		O L
	2019/6/14 8:06	0.0014 ND(0.0011)	0.018 0.0042						O L
	2019/6/18 8:15	ND(0.0013) ND(0.0012)	0.0041 0.0057	0.39		ND(15)			O L
	2019/6/26 8:07	ND(0.0011) ND(0.0010)	0.0063 0.0037						O L
	2019/7/1 8:51	ND(0.0012) ND(0.0012)	0.0042 0.0048	ND(0.34)	ND(2.4)	ND(15)	0.0013		O L
	2019/7/11 8:11	ND(0.0011) ND(0.0012)	0.0046 0.0030						O L
	2019/7/17 8:24	ND(0.0012) ND(0.0012)	0.0024 0.0038	ND(0.38)		ND(15)			O L
	2019/7/22 7:54	ND(0.0012) ND(0.0012)	0.0055 0.0042						O L
	2019/7/29 8:03	ND(0.0013) ND(0.0013)	0.0036 0.0043						O L
	2019/8/6 8:17	ND(0.0011) ND(0.0010)	0.010 0.0038	ND(0.36)	ND(2.4)	ND(14)	0.00096		O L
	2019/8/17 8:28	ND(0.0012) ND(0.0013)	0.0047 0.0026						O L
	2019/8/20 8:00	ND(0.0011) ND(0.0012)	0.0018 0.0042	ND(0.35)		ND(15)			O L
	2019/8/27 8:04	ND(0.0011) ND(0.0013)	0.0027 0.0052						O L
	2019/9/4 8:14	ND(0.0013) ND(0.0011)	0.0034 0.0021						O L

○: 上層(表層~2m) Outer Layer
 □: 下層(海底より2~3m上) Lower Layer

Cs-134

Cs-137


放射性物質濃度(検出下限値)(Bq/L)(ND※2:不検出)
Radioactivity concentration (Lower detection limit) (Bq/L) (ND※2: Not Detectable)

T-11	2019/5/24 8:09	ND(0.0012)	0.0086	O
		ND(0.0013)	0.0061	L
	2019/5/27 8:41	ND(0.0013)	0.0052	O
		ND(0.0010)	0.0057	L
	2019/6/3 8:27	ND(0.0014)	0.0061	O
		ND(0.0010)	0.0034	L
	2019/6/14 8:39	ND(0.0011)	0.0056	O
		ND(0.0012)	0.0040	L
	2019/6/18 8:48	ND(0.0014)	0.0052	O
		ND(0.0014)	0.0092	L
	2019/6/26 8:35	ND(0.0012)	0.0057	O
		ND(0.0012)	0.0034	L
	2019/7/1 9:20	ND(0.0012)	0.0080	O
		ND(0.0013)	0.0056	L
	2019/7/11 8:43	ND(0.0012)	0.012	O
		ND(0.0012)	0.0052	L
	2019/7/17 9:01	ND(0.0013)	0.010	O
		ND(0.0014)	0.0043	L
	2019/7/22 8:20	ND(0.0013)	0.0055	O
		ND(0.0013)	0.0057	L
2019/7/29 8:34	ND(0.0013)	0.0058	O	
	ND(0.0013)	0.0038	L	
2019/8/6 9:04	ND(0.0013)	0.0042	O	
	ND(0.0013)	0.0065	L	
2019/8/17 9:05	ND(0.0014)	0.0055	O	
	ND(0.0012)	0.0041	L	
2019/8/20 8:30	ND(0.0011)	0.0023	O	
	ND(0.0012)	0.0039	L	
2019/8/27 8:33	ND(0.0011)	0.0028	O	
	ND(0.0012)	0.0048	L	
2019/9/4 8:56	ND(0.0013)	0.0032	O	
	ND(0.0012)	0.0022	L	

T-14	2019/5/24 7:21	ND(0.0012)	0.0086	O
		ND(0.0011)	0.0055	L
	2019/5/28 7:33	ND(0.0013)	0.0041	O
		ND(0.0012)	0.0044	L
	2019/6/3 7:37	ND(0.0012)	0.0045	O
		ND(0.0011)	0.0018	L
	2019/6/14 7:26	ND(0.0011)	0.0056	O
		ND(0.0010)	0.0053	L
	2019/6/17 7:44	ND(0.0011)	0.0040	O
		ND(0.0012)	0.0055	L
	2019/6/26 7:51	ND(0.0015)	0.0040	O
		ND(0.0015)	0.0039	L
	2019/7/2 7:27	ND(0.0011)	0.0042	O
		ND(0.0011)	0.0033	L
	2019/7/10 7:34	ND(0.0011)	0.0037	O
		ND(0.0012)	0.0028	L
	2019/7/18 7:48	ND(0.0013)	0.0041	O
		ND(0.0012)	0.0035	L
	2019/7/22 7:46	ND(0.0013)	0.0048	O
		ND(0.0013)	0.0032	L
2019/7/29 7:45	ND(0.0011)	0.0042	O	
	ND(0.0013)	0.0040	L	
2019/8/8 7:47	ND(0.0011)	0.0032	O	
	ND(0.0011)	0.0038	L	
2019/8/17 9:33	ND(0.0012)	0.0046	O	
	ND(0.0011)	0.0034	L	
2019/8/20 7:25	ND(0.0013)	0.0031	O	
	ND(0.0014)	0.0050	L	
2019/8/26 7:38	ND(0.0012)	0.0028	O	
	ND(0.0013)	0.0051	L	
2019/9/2 7:48	ND(0.0012)	0.0018	O	
	ND(0.0012)	0.0022	L	

O: 上層(表層~2m) Outer Layer
L: 下層(海底より2~3m上) Lower Layer

福島第一原子力発電所沿岸海域の海水採取ポイント
 (Seawater sampling points near and around Fukushima Dai-ichi NPP)



* 図中の×は東京電力ホールディングス(株)福島第一原子力発電所を示す。

* The legends × indicate the locations of TEPCO Fukushima Dai-ichi NPP, respectively.