

| Cs-134 | Cs-137 | H-3 | 全α (gross α) | 全β (gross β) | Sr-90 | Pu-238 | Pu-239+240 |
|---|--------|-----|-----------------|-----------------|-------|--------|------------|
| 放射線物質濃度 (検出下限値) (Bq/L) (ND※2: 不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND※2: Not Detectable) | | | | | | | |

| | | | | | | | | | |
|----------------|-------------------|---------------|----------|----------|---------|--------|---------|---|---|
| T-5 | 2019/12/9 8:08 | ND(0.0013) | 0.0030 | | | | | | O |
| | | ND(0.0013) | 0.0024 | | | | | | L |
| | 2019/12/16 8:06 | ND(0.0011) | 0.0030 | 0.44 | | ND(14) | | | O |
| | | ND(0.0011) | 0.0030 | | | | | | L |
| | 2019/12/25 8:37 | ND(0.0013) | 0.0041 | | | | | | O |
| | | ND(0.0013) | 0.0043 | | | | | | L |
| | 2019/12/29 8:13 | ND(0.0012) | 0.0034 | | | | | | O |
| | | ND(0.0013) | 0.0029 | | | | | | L |
| | 2020/1/6 8:20 | ND(0.0013) | 0.0029 | ND(0.35) | ND(1.9) | ND(13) | 0.0013 | | O |
| | | ND(0.0013) | 0.0030 | | | | | | L |
| | 2020/1/14 8:14 | ND(0.0012) | 0.0021 | | | | | | O |
| | | ND(0.0013) | 0.0039 | | | | | | L |
| | 2020/1/23 8:15 | ND(0.0013) | 0.0022 | 0.30 | | ND(14) | | | O |
| | | ND(0.0013) | 0.0031 | | | | | | L |
| | 2020/1/27 8:11 | ND(0.0011) | 0.0024 | | | | | | O |
| | | ND(0.0012) | 0.0028 | | | | | | L |
| | 2020/2/3 8:22 | ND(0.0012) | 0.0030 | ND(0.35) | ND(2.4) | ND(13) | 0.00087 | | O |
| | | ND(0.0014) | 0.0037 | | | | | | L |
| | 2020/2/10 8:13 | ND(0.0013) | 0.0027 | | | | | | O |
| | | ND(0.0013) | 0.0021 | | | | | | L |
| 2020/2/20 8:11 | ND(0.0014) | 0.0051 | ND(0.33) | | ND(14) | | | O | |
| | ND(0.0013) | 0.0054 | | | | | | L | |
| 2020/2/25 8:11 | ND(0.0012) | 0.0047 | | | | | | O | |
| | ND(0.0014) | 0.0045 | | | | | | L | |
| 2020/3/2 9:26 | ND(0.0013) | 0.0035 | | | | | | O | |
| | ND(0.0013) | 0.0029 | | | | | | L | |
| 2020/3/13 8:04 | ND(0.0011) | 0.0025 | | | | | | O | |
| | ND(0.0012) | 0.0024 | | | | | | L | |
| 2020/3/16 6:56 | ND(0.0012) | 0.0023 | | | | | | O | |
| | ND(0.0013) | 0.0024 | | | | | | L | |
| 2020/3/23 8:28 | ND(0.0012) | 0.0020 | | | | | | O | |
| | ND(0.0012) | 0.0020 | | | | | | L | |

| | | | | | | | | | |
|----------------|-------------------|---------------|--------|----------|---------|--------|--------|---|---|
| T-D1 | 2019/12/9 8:45 | 0.0023 | 0.037 | | | | | | O |
| | | ND(0.0010) | 0.015 | | | | | | L |
| | 2019/12/16 8:48 | 0.0015 | 0.020 | ND(0.34) | | ND(14) | | | O |
| | | ND(0.0012) | 0.018 | | | | | | L |
| | 2019/12/25 9:02 | ND(0.0013) | 0.012 | | | | | | O |
| | | ND(0.0013) | 0.015 | | | | | | L |
| | 2019/12/29 8:59 | 0.0044 | 0.067 | | | | | | O |
| | | 0.0028 | 0.048 | | | | | | L |
| | 2020/1/6 8:57 | 0.0015 | 0.025 | 0.34 | ND(2.0) | ND(13) | 0.0016 | | O |
| | | 0.0018 | 0.037 | | | | | | L |
| | 2020/1/14 8:45 | ND(0.0013) | 0.0082 | | | | | | O |
| | | ND(0.0013) | 0.016 | | | | | | L |
| | 2020/1/22 8:55 | ND(0.0012) | 0.0082 | ND(0.30) | | ND(14) | | | O |
| | | 0.0042 | 0.075 | | | | | | L |
| | 2020/1/27 8:50 | ND(0.0010) | 0.013 | | | | | | O |
| | | ND(0.0014) | 0.017 | | | | | | L |
| | 2020/2/3 8:53 | 0.0013 | 0.023 | ND(0.33) | ND(2.0) | ND(13) | 0.0011 | | O |
| | | 0.0035 | 0.061 | | | | | | L |
| | 2020/2/10 8:41 | 0.0016 | 0.033 | | | | | | O |
| | | 0.0015 | 0.024 | | | | | | L |
| 2020/2/19 8:50 | 0.0013 | 0.023 | 0.30 | | ND(15) | | | O | |
| | ND(0.0014) | 0.013 | | | | | | L | |
| 2020/2/25 8:51 | ND(0.0013) | 0.0048 | | | | | | O | |
| | ND(0.00098) | 0.0047 | | | | | | L | |
| 2020/3/2 9:09 | ND(0.0011) | 0.011 | | | | | | O | |
| | ND(0.0012) | 0.012 | | | | | | L | |
| 2020/3/12 8:55 | ND(0.0012) | 0.0071 | | | | | | O | |
| | ND(0.0012) | 0.019 | | | | | | L | |
| 2020/3/16 7:28 | 0.0013 | 0.026 | | | | | | O | |
| | ND(0.0013) | 0.015 | | | | | | L | |
| 2020/3/26 8:44 | ND(0.0014) | 0.0034 | | | | | | O | |
| | ND(0.0013) | 0.0042 | | | | | | L | |

O: 上層 (表層~2m) Outer Layer
L: 下層 (海底より2~3m上) Lower Layer

| Cs-134 | Cs-137 | H-3 | 全α (gross α) | 全β (gross β) | Sr-90 | Pu-238 | Pu-239+240 |
|---|--------|-----|-----------------|-----------------|-------|--------|------------|
| 放射線物質濃度 (検出下限値) (Bq/L) (ND※2: 不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND※2: Not Detectable) | | | | | | | |

| | | | | | | | | |
|------|-----------------|--|--------------------------------|----------|---------|--------|--------|--------|
| T-D5 | 2019/12/9 9:10 | ND(0.00092) ND(0.0011) | 0.010 0.0091 | | | | | O L |
| | 2019/12/16 9:14 | ND(0.0013) ND(0.0014) | 0.012 0.011 | ND(0.34) | | ND(14) | | O L |
| | 2019/12/25 9:29 | ND(0.0013) ND(0.0013) | 0.011 0.019 | | | | | O L |
| | 2019/12/29 9:27 | 0.0012 0.0022 | 0.017 0.033 | | | | | O L |
| | 2020/1/6 9:28 | ND(0.0011) ND(0.0012) | 0.013 0.019 | ND(0.34) | ND(2.0) | ND(13) | 0.0015 | O L |
| | 2020/1/14 9:09 | ND(0.0012) ND(0.0013) | 0.0059 0.017 | | | | | O L |
| | 2020/1/22 9:23 | 0.0016 0.0026 | 0.020 0.039 | ND(0.30) | | ND(14) | | O L |
| | 2020/1/27 9:16 | ND(0.0013) ND(0.0011) | 0.013 0.012 | | | | | O L |
| | 2020/2/3 9:23 | ND(0.0012) ND(0.0011) | 0.012 0.013 | 0.39 | ND(2.0) | ND(13) | 0.0016 | O L |
| | 2020/2/10 9:04 | 0.0015 0.0013 | 0.018 0.017 | | | | | O L |
| | 2020/2/19 9:16 | ND(0.0012) ND(0.0013) | 0.014 0.0092 | ND(0.29) | | ND(15) | | O L |
| | 2020/2/25 9:17 | ND(0.0011) ND(0.0012) | 0.0096 0.0059 | | | | | O L |
| | 2020/3/2 9:32 | ND(0.0013) ND(0.0012) | 0.013 0.0073 | | | | | O L |
| | 2020/3/12 9:23 | ND(0.0013) 0.0022 | 0.0080 0.042 | | | | | O L |
| | 2020/3/16 7:55 | ND(0.0013) ND(0.0012) | 0.011 0.0076 | | | | | O L |
| | 2020/3/26 9:08 | ND(0.0010) ND(0.0011) | 0.0099 0.0041 | | | | | O L |

| | | | | | | | | |
|------|-----------------|--|--------------------------------|----------|---------|--------|---------|--------|
| T-D9 | 2019/12/9 8:54 | ND(0.0012) ND(0.0013) | 0.0048 0.0060 | | | | | O L |
| | 2019/12/16 8:51 | ND(0.00091) ND(0.0010) | 0.0047 0.0057 | 0.39 | | ND(14) | | O L |
| | 2019/12/25 9:29 | 0.0011 0.0013 | 0.014 0.019 | | | | | O L |
| | 2019/12/29 9:07 | ND(0.0012) ND(0.0013) | 0.0063 0.018 | | | | | O L |
| | 2020/1/6 9:07 | ND(0.0012) ND(0.0013) | 0.0079 0.011 | 0.37 | ND(1.9) | ND(13) | 0.00099 | O L |
| | 2020/1/14 8:58 | ND(0.0010) ND(0.0011) | 0.0093 0.015 | | | | | O L |
| | 2020/1/23 9:00 | ND(0.0013) 0.0028 | 0.012 0.036 | ND(0.29) | | ND(14) | | O L |
| | 2020/1/27 8:57 | ND(0.0012) 0.0015 | 0.0028 0.025 | | | | | O L |
| | 2020/2/3 9:09 | ND(0.0013) 0.0016 | 0.017 0.031 | ND(0.35) | ND(2.4) | ND(13) | 0.0011 | O L |
| | 2020/2/10 8:57 | 0.0017 ND(0.0014) | 0.020 0.022 | | | | | O L |
| | 2020/2/20 9:00 | ND(0.0014) ND(0.0014) | 0.018 0.016 | ND(0.33) | | ND(14) | | O L |
| | 2020/2/25 8:55 | ND(0.0012) ND(0.0013) | 0.014 0.0082 | | | | | O L |
| | 2020/3/2 10:11 | ND(0.0012) ND(0.0012) | 0.011 0.0052 | | | | | O L |
| | 2020/3/13 8:53 | ND(0.0011) 0.0013 | 0.011 0.025 | | | | | O L |
| | 2020/3/16 7:43 | ND(0.0014) ND(0.0013) | 0.011 0.0094 | | | | | O L |
| | 2020/3/23 9:20 | ND(0.0011) ND(0.0011) | 0.0067 0.0077 | | | | | O L |

○: 上層 (表層~2m) Outer Layer
 ↓: 下層 (海底より2~3m上) Lower Layer

Cs-134

Cs-137


放射性物質濃度(検出下限値)(Bq/L)(ND※2:不検出)
Radioactivity concentration (Lower detection limit) (Bq/L) (ND※2: Not Detectable)

| | | | | |
|----------------|-------------------|---------------|--------|---|
| T-11 | 2019/12/9 9:22 | ND(0.0012) | 0.0090 | O |
| | | ND(0.0014) | 0.0061 | L |
| | 2019/12/16 9:19 | ND(0.0011) | 0.0081 | O |
| | | ND(0.0013) | 0.0083 | L |
| | 2019/12/25 10:00 | ND(0.0012) | 0.011 | O |
| | | 0.0017 | 0.029 | L |
| | 2019/12/29 9:40 | 0.0023 | 0.030 | O |
| | | 0.0022 | 0.035 | L |
| | 2020/1/6 9:41 | ND(0.0013) | 0.0072 | O |
| | | ND(0.0014) | 0.0062 | L |
| | 2020/1/14 9:28 | ND(0.0012) | 0.0045 | O |
| | | 0.0016 | 0.023 | L |
| | 2020/1/23 9:29 | ND(0.0014) | 0.021 | O |
| | | ND(0.0014) | 0.013 | L |
| | 2020/1/27 9:32 | ND(0.0012) | 0.0079 | O |
| | | ND(0.0014) | 0.012 | L |
| | 2020/2/3 9:40 | 0.0018 | 0.035 | O |
| | | 0.0012 | 0.024 | L |
| | 2020/2/10 9:25 | 0.0014 | 0.024 | O |
| | | 0.0021 | 0.039 | L |
| 2020/2/20 9:30 | ND(0.0012) | 0.017 | O | |
| | 0.0014 | 0.018 | L | |
| 2020/2/25 9:26 | ND(0.0014) | 0.013 | O | |
| | ND(0.0013) | 0.0076 | L | |
| 2020/3/2 10:39 | ND(0.0011) | 0.010 | O | |
| | ND(0.0010) | 0.0083 | L | |
| 2020/3/13 9:24 | ND(0.0013) | 0.015 | O | |
| | 0.0020 | 0.032 | L | |
| 2020/3/16 8:13 | ND(0.0013) | 0.018 | O | |
| | ND(0.0011) | 0.014 | L | |
| 2020/3/23 9:51 | ND(0.0012) | 0.0077 | O | |
| | ND(0.0014) | 0.011 | L | |

| | | | | |
|----------------|-------------------|---------------|--------|---|
| T-14 | 2019/12/9 8:23 | ND(0.0012) | 0.013 | O |
| | | ND(0.0014) | 0.019 | L |
| | 2019/12/16 8:28 | ND(0.0012) | 0.013 | O |
| | | 0.0014 | 0.025 | L |
| | 2019/12/25 8:41 | ND(0.0014) | 0.011 | O |
| | | ND(0.0014) | 0.0085 | L |
| | 2019/12/29 8:40 | ND(0.0015) | 0.015 | O |
| | | 0.0045 | 0.076 | L |
| | 2020/1/6 8:30 | 0.0016 | 0.028 | O |
| | | ND(0.0012) | 0.018 | L |
| | 2020/1/14 8:28 | ND(0.0015) | 0.0071 | O |
| | | ND(0.0016) | 0.0099 | L |
| | 2020/1/22 8:35 | ND(0.0016) | 0.0072 | O |
| | | 0.0022 | 0.028 | L |
| | 2020/1/27 8:32 | ND(0.0013) | 0.0075 | O |
| | | ND(0.0012) | 0.0076 | L |
| | 2020/2/3 8:29 | ND(0.0014) | 0.010 | O |
| | | ND(0.0016) | 0.023 | L |
| | 2020/2/10 8:22 | ND(0.0015) | 0.0092 | O |
| | | ND(0.0016) | 0.017 | L |
| 2020/2/19 8:28 | ND(0.0015) | 0.011 | O | |
| | ND(0.0017) | 0.0072 | L | |
| 2020/2/25 8:32 | ND(0.0015) | 0.0057 | O | |
| | ND(0.0013) | 0.0048 | L | |
| 2020/3/2 8:37 | ND(0.0017) | 0.0062 | O | |
| | ND(0.0015) | 0.0063 | L | |
| 2020/3/12 8:33 | ND(0.0014) | 0.0056 | O | |
| | 0.0018 | 0.028 | L | |
| 2020/3/16 7:09 | ND(0.0017) | 0.0098 | O | |
| | ND(0.0017) | 0.020 | L | |
| 2020/3/26 8:25 | ND(0.0014) | 0.0043 | O | |
| | ND(0.0016) | 0.0046 | L | |

O: 上層(表層~2m) Outer Layer
L: 下層(海底より2~3m上) Lower Layer

福島第一原子力発電所沿岸海域の海水採取ポイント
 (Seawater sampling points near and around Fukushima Dai-ichi NPP)



* 図中の×は東京電力ホールディングス(株)福島第一原子力発電所を示す。
 * The legend × indicates the location of TEPCO Fukushima Dai-ichi NPP.