

Cs-134	Cs-137	H-3	全α (gross α)	全β (gross β)	Sr-90	Pu-238	Pu-239+240
放射線物質濃度 (検出下限値) (Bq/L) (ND※2: 不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND※2: Not Detectable)							

T-5	2020/3/16 6:56	ND(0.0012)	0.0023	0.40		ND(13)			O
		ND(0.0013)	0.0024						L
	2020/3/23 8:28	ND(0.0012)	0.0020						O
		ND(0.0012)	0.0020						L
	2020/4/3 7:28	ND(0.0010)	0.0019	ND(0.35)	ND(2.2)	ND(13)	0.0012		O
		ND(0.00094)	0.0022						L
	2020/4/6 7:31	ND(0.0014)	0.0021				ND(0.0000050)	0.0000049	O
		ND(0.0013)	0.0020						L
	2020/4/17 7:36	ND(0.0012)	0.0015	ND(0.35)		ND(14)			O
		ND(0.0013)	0.0025						L
	2020/4/23 7:38	ND(0.0011)	0.0023						O
		ND(0.0011)	0.0023						L
	2020/4/27 7:19	ND(0.00095)	0.0058						O
		ND(0.0011)	0.0020						L
	2020/5/7 7:51	ND(0.0013)	0.0025	ND(0.35)	ND(2.3)	ND(14)	0.0013		O
		ND(0.0014)	0.0020						L
	2020/5/11 7:36	ND(0.0014)	0.0033						O
		ND(0.0013)	0.0028						L
	2020/5/18 7:34	ND(0.0013)	0.0023	ND(0.33)		ND(12)			O
		ND(0.0013)	0.0019						L
2020/5/25 7:26	ND(0.0014)	0.0066						O	
	ND(0.0014)	0.0023						L	
2020/6/1 7:25	ND(0.0014)	0.0032						O	
	ND(0.0012)	0.0021						L	
2020/6/8 8:00	ND(0.0012)	0.0019						O	
	ND(0.0012)	0.0022						L	
2020/6/15 7:17	ND(0.0013)	0.0024						O	
	ND(0.0014)	0.0018						L	
2020/6/22 8:01	ND(0.0013)	0.0017						O	
	ND(0.0014)	0.0035						L	
2020/6/29 7:08	ND(0.0010)	0.0024						O	
	ND(0.0013)	0.0029						L	

T-D1	2020/3/16 7:28	0.0013	0.026	0.33		ND(14)			O
		ND(0.0013)	0.015						L
	2020/3/26 8:44	ND(0.0014)	0.0034						O
		ND(0.0013)	0.0042						L
	2020/4/3 8:23	ND(0.0011)	0.014	0.40	ND(2.2)	ND(13)	0.0011		O
		ND(0.0012)	0.016						L
	2020/4/8 8:20	ND(0.0012)	0.0045				ND(0.0000056)	ND(0.0000054)	O
		ND(0.0012)	0.0082						L
	2020/4/17 8:11	ND(0.0012)	0.0095	0.47		ND(12)			O
		0.0015	0.027						L
	2020/4/21 8:26	ND(0.0014)	0.0076						O
		ND(0.0014)	0.022						L
	2020/4/27 7:58	ND(0.0011)	0.0052						O
		ND(0.0012)	0.0046						L
	2020/5/7 8:42	ND(0.0013)	0.0022	0.40	ND(2.2)	ND(13)	0.0018		O
		ND(0.0013)	0.0031						L
	2020/5/11 8:25	ND(0.0013)	0.0048						O
		ND(0.0013)	0.0061						L
	2020/5/18 8:25	ND(0.0013)	0.0053	ND(0.35)		ND(12)			O
		ND(0.0014)	0.015						L
2020/5/25 8:19	ND(0.0011)	0.0079						O	
	ND(0.0012)	0.0085						L	
2020/6/2 8:31	ND(0.0012)	0.0057						O	
	ND(0.0012)	0.0045						L	
2020/6/8 8:12	ND(0.0013)	0.0051						O	
	ND(0.0014)	0.0055						L	
2020/6/15 8:04	ND(0.0012)	0.0062						O	
	ND(0.0012)	0.0042						L	
2020/6/22 7:59	ND(0.0012)	0.0041						O	
	ND(0.0013)	0.0058						L	
2020/6/29 7:50	ND(0.0013)	0.0049						O	
	ND(0.0013)	0.0047						L	

O: 上層(表層~2m) Outer Layer
L: 下層(海底より2~3m上) Lower Layer

Cs-134	Cs-137	H-3	全α (gross α)	全β (gross β)	Sr-90	Pu-238	Pu-239+240
放射線物質濃度 (検出下限値) (Bq/L) (ND※2 : 不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND※2 : Not Detectable)							

T-D5	2020/3/16 7:55	ND(0.0013)	0.011	ND(0.29)		ND(14)			O
		ND(0.0012)	0.0076						L
	2020/3/26 9:08	ND(0.0010)	0.0099						O
		ND(0.0011)	0.0041						L
	2020/4/3 9:02	ND(0.0012)	0.0096	0.34	ND(2.2)	ND(14)	ND(0.00061)		O
		ND(0.0013)	0.015						L
	2020/4/8 8:57	ND(0.0012)	0.0057				ND(0.0000051)	ND(0.0000050)	O
		ND(0.0013)	0.0039						L
	2020/4/17 8:37	ND(0.0012)	0.015	0.37		ND(12)			O
		0.0023	0.030						L
	2020/4/21 8:58	ND(0.0012)	0.011						O
		ND(0.0014)	0.0097						L
	2020/4/27 8:25	ND(0.0014)	0.0050						O
		ND(0.0013)	0.0086						L
	2020/5/7 9:19	ND(0.0014)	0.0038	ND(0.35)	ND(2.2)	ND(13)	0.0011		O
		ND(0.0014)	0.0049						L
	2020/5/11 9:00	ND(0.0012)	0.0068						O
		ND(0.0013)	0.0054						L
	2020/5/18 8:56	ND(0.0012)	0.0049	ND(0.35)		ND(12)			O
		ND(0.0012)	0.0058						L
2020/5/25 8:55	ND(0.0011)	0.0092						O	
	ND(0.0012)	0.0070						L	
2020/6/2 9:05	ND(0.0013)	0.0034						O	
	ND(0.0013)	0.0045						L	
2020/6/8 8:42	ND(0.0012)	0.0035						O	
	ND(0.0013)	0.0036						L	
2020/6/15 8:30	ND(0.0012)	0.0059						O	
	ND(0.0013)	0.0054						L	
2020/6/22 8:26	ND(0.0013)	0.0040						O	
	ND(0.0011)	0.0031						L	
2020/6/29 8:25	ND(0.0011)	0.0046						O	
	ND(0.0012)	0.0041						L	

T-D9	2020/3/16 7:43	ND(0.0014)	0.011	0.49		ND(14)			O
		ND(0.0013)	0.0094						L
	2020/3/23 9:20	ND(0.0011)	0.0067						O
		ND(0.0011)	0.0077						L
	2020/4/3 8:19	ND(0.0013)	0.0030	0.41	ND(2.2)	ND(13)	0.0013		O
		ND(0.0014)	0.012						L
	2020/4/6 8:26	ND(0.0013)	0.0047				ND(0.0000062)	0.0000068	O
		ND(0.0013)	0.0053						L
	2020/4/17 8:20	ND(0.0013)	0.017	ND(0.35)		ND(12)			O
		0.0062	0.099						L
	2020/4/23 8:29	ND(0.0013)	0.0065						O
		ND(0.0010)	0.0081						L
	2020/4/27 8:00	ND(0.0013)	0.0041						O
		ND(0.0014)	0.0031						L
	2020/5/7 8:43	ND(0.0013)	0.0032	ND(0.35)	ND(2.3)	ND(13)	0.0014		O
		ND(0.0014)	0.0069						L
	2020/5/11 8:24	ND(0.0013)	0.0088						O
		ND(0.0014)	0.017						L
	2020/5/18 8:25	ND(0.0014)	0.0064	ND(0.33)		ND(12)			O
		ND(0.0014)	0.019						L
2020/5/25 8:35	ND(0.0013)	0.0072						O	
	ND(0.0014)	0.0053						L	
2020/6/1 8:28	ND(0.0014)	0.0057						O	
	ND(0.0014)	0.0042						L	
2020/6/8 8:55	ND(0.0014)	0.0045						O	
	ND(0.0014)	0.0039						L	
2020/6/15 8:07	ND(0.0012)	0.0072						O	
	ND(0.0012)	0.0036						L	
2020/6/22 9:06	ND(0.0014)	0.0041						O	
	ND(0.0012)	0.0070						L	
2020/6/29 7:55	ND(0.0014)	0.0054						O	
	ND(0.0013)	0.0083						L	

O : 上層 (表層~2m) Outer Layer
 L : 下層 (海底より2~3m上) Lower Layer

Cs-134

Cs-137


放射性物質濃度(検出下限値)(Bq/L)(ND※2:不検出)
Radioactivity concentration (Lower detection limit) (Bq/L) (ND※2: Not Detectable)

T-11	2020/3/16 8:13	ND(0.0013)	0.018	O
		ND(0.0011)	0.014	L
	2020/3/23 9:51	ND(0.0012)	0.0077	O
		ND(0.0014)	0.011	L
	2020/4/3 8:53	ND(0.0011)	0.017	O
		ND(0.0013)	0.0090	L
	2020/4/6 8:58	ND(0.0012)	0.011	O
		ND(0.0012)	0.0079	L
	2020/4/17 8:50	0.0027	0.048	O
		0.0037	0.060	L
	2020/4/23 9:02	ND(0.0012)	0.015	O
		ND(0.0013)	0.021	L
	2020/4/27 8:26	ND(0.0010)	0.0042	O
		ND(0.0012)	0.010	L
	2020/5/7 9:19	ND(0.0010)	0.0021	O
		ND(0.0011)	0.011	L
	2020/5/11 8:56	ND(0.0013)	0.0055	O
		0.0014	0.029	L
	2020/5/18 8:57	ND(0.0013)	0.0061	O
		ND(0.0014)	0.019	L
2020/5/25 9:14	ND(0.0012)	0.0092	O	
	ND(0.0014)	0.018	L	
2020/6/1 9:03	ND(0.0010)	0.0057	O	
	ND(0.00098)	0.0043	L	
2020/6/8 9:29	ND(0.0010)	0.0033	O	
	ND(0.0014)	0.0098	L	
2020/6/15 8:43	ND(0.0013)	0.0056	O	
	ND(0.0012)	0.0093	L	
2020/6/22 9:39	ND(0.0012)	0.0066	O	
	ND(0.0014)	0.011	L	
2020/6/29 8:23	ND(0.0013)	0.0059	O	
	0.0015	0.027	L	

T-14	2020/3/16 7:09	ND(0.0017)	0.0098	O
		ND(0.0017)	0.020	L
	2020/3/26 8:25	ND(0.0014)	0.0043	O
		ND(0.0016)	0.0046	L
	2020/4/3 7:40	ND(0.0016)	0.0040	O
		0.0019	0.035	L
	2020/4/8 7:58	ND(0.0015)	0.0034	O
		ND(0.0015)	0.0062	L
	2020/4/17 7:53	ND(0.0016)	0.010	O
		ND(0.0016)	0.013	L
	2020/4/21 8:02	ND(0.0014)	0.0083	O
		ND(0.0017)	0.026	L
	2020/4/27 7:38	ND(0.0015)	0.0072	O
		ND(0.0016)	0.0042	L
	2020/5/7 8:12	ND(0.0015)	0.0029	O
		ND(0.0019)	0.0047	L
	2020/5/11 8:02	ND(0.0015)	0.0037	O
		ND(0.0017)	0.0045	L
	2020/5/18 8:01	ND(0.0015)	0.0050	O
		ND(0.0015)	0.0052	L
2020/5/25 7:51	ND(0.0015)	0.0047	O	
	ND(0.0016)	0.0033	L	
2020/6/2 7:59	ND(0.0015)	0.0041	O	
	ND(0.0015)	0.0032	L	
2020/6/8 7:52	ND(0.0016)	0.0042	O	
	ND(0.0015)	0.0072	L	
2020/6/15 7:35	ND(0.0016)	0.0042	O	
	ND(0.0015)	0.0030	L	
2020/6/22 7:40	ND(0.0016)	0.0028	O	
	ND(0.0015)	0.0063	L	
2020/6/29 7:30	ND(0.0014)	0.0033	O	
	ND(0.0017)	0.0068	L	

O: 上層(表層~2m) Outer Layer
L: 下層(海底より2~3m上) Lower Layer

福島第一原子力発電所沿岸海域の海水採取ポイント
 (Seawater sampling points near and around Fukushima Dai-ichi NPP)



* 図中の×は東京電力ホールディングス(株)福島第一原子力発電所を示す。
 * The legend × indicates the location of TEPCO Fukushima Dai-ichi NPP.