



Cs-134	Cs-137	H-3	全α (gross α)	全β (gross β)	Sr-90	Pu-238	Pu-239+240
放射線物質濃度 (検出下限値) (Bq/L) (ND※2: 不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND※2: Not Detectable)							

T-5	2020/5/7 7:51	ND(0.0013) ND(0.0014)	0.0025 0.0020	ND(0.35)	ND(2.3)	ND(14)	0.0013		O L	
	2020/5/11 7:36	ND(0.0014) ND(0.0013)	0.0033 0.0028						O L	
	2020/5/18 7:34	ND(0.0013) ND(0.0013)	0.0023 0.0019	ND(0.33)		ND(12)			O L	
	2020/5/25 7:26	ND(0.0014) ND(0.0014)	0.0066 0.0023						O L	
	2020/6/1 7:25	ND(0.0014) ND(0.0012)	0.0032 0.0021	0.45	ND(2.1)	ND(12)	0.0012		O L	
	2020/6/8 8:00	ND(0.0012) ND(0.0012)	0.0019 0.0022						O L	
	2020/6/15 7:17	ND(0.0013) ND(0.0014)	0.0024 0.0018	0.49		ND(13)			O L	
	2020/6/22 8:01	ND(0.0013) ND(0.0014)	0.0017 0.0035						O L	
	2020/6/29 7:08	ND(0.0010) ND(0.0013)	0.0024 0.0029						O L	
	2020/7/6 7:13	ND(0.0011) ND(0.0013)	0.0022 0.0019	ND(0.33)	ND(1.9)	ND(14)	0.0012		O L	
	2020/7/13 7:21	ND(0.0013) ND(0.0013)	0.0019 0.0016						O L	
	2020/7/20 7:23	ND(0.0010) ND(0.0014)	0.0027 0.0036	0.38		ND(14)			O L	
	2020/7/27 8:19	ND(0.0014) ND(0.0011)	0.0027 0.0021						O L	
	2020/8/3 8:21	ND(0.0011) ND(0.0014)	0.0019 0.0026						O L	
	2020/8/11 7:03	ND(0.00097) ND(0.0011)	0.0014 0.0026						O L	
	2020/8/17 8:12	<b>ND(0.0013)</b> <b>ND(0.0013)</b>	<b>0.0021</b> <b>0.0015</b>						O L	
	T-D1	2020/5/7 8:42	ND(0.0013) ND(0.0013)	0.0022 0.0031	0.40	ND(2.2)	ND(13)	0.0018		O L
		2020/5/11 8:25	ND(0.0013) ND(0.0013)	0.0048 0.0061						O L
		2020/5/18 8:25	ND(0.0013) ND(0.0014)	0.0053 0.015	ND(0.35)		ND(12)			O L
		2020/5/25 8:19	ND(0.0011) ND(0.0012)	0.0079 0.0085						O L
2020/6/2 8:31		ND(0.0012) ND(0.0012)	0.0057 0.0045	0.97	ND(1.9)	ND(12)	0.00091		O L	
2020/6/8 8:12		ND(0.0013) ND(0.0014)	0.0051 0.0055						O L	
2020/6/15 8:04		ND(0.0012) ND(0.0012)	0.0062 0.0042	0.72		ND(13)			O L	
2020/6/22 7:59		ND(0.0012) ND(0.0013)	0.0041 0.0058						O L	
2020/6/29 7:50		ND(0.0013) ND(0.0013)	0.0049 0.0047						O L	
2020/7/6 8:06		ND(0.0012) ND(0.0014)	0.0037 0.0054	0.48	ND(1.9)	ND(15)	0.0015		O L	
2020/7/13 8:02		ND(0.0013) ND(0.00098)	0.0034 0.0022						O L	
2020/7/20 8:05		ND(0.0012) ND(0.0011)	0.0029 0.0026	ND(0.31)		ND(14)			O L	
2020/7/27 8:00		ND(0.0013) ND(0.0012)	0.0037 0.0029						O L	
2020/8/3 8:15		ND(0.0014) ND(0.0011)	0.0044 0.0043						O L	
2020/8/11 7:54		ND(0.0011) ND(0.0014)	0.011 0.0040						O L	
2020/8/17 8:00		<b>ND(0.0013)</b> <b>ND(0.0013)</b>	<b>0.0027</b> <b>0.0027</b>						O L	

O: 上層 (表層~2m) Outer Layer  
L: 下層 (海底より2~3m上) Lower Layer

Cs-134	Cs-137	H-3	全α (gross α)	全β (gross β)	Sr-90	Pu-238	Pu-239+240
放射線物質濃度 (検出下限値) (Bq/L) (ND※2: 不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND※2: Not Detectable)							

T-D5	2020/5/7 9:19	ND(0.0014)	0.0038	ND(0.35)	ND(2.2)	ND(13)	0.0011		O
		ND(0.0014)	0.0049						L
	2020/5/11 9:00	ND(0.0012)	0.0068						O
		ND(0.0013)	0.0054						L
	2020/5/18 8:56	ND(0.0012)	0.0049	ND(0.35)		ND(12)			O
		ND(0.0012)	0.0058						L
	2020/5/25 8:55	ND(0.0011)	0.0092						O
		ND(0.0012)	0.0070						L
	2020/6/2 9:05	ND(0.0013)	0.0034	1.0	ND(1.9)	ND(13)	0.00077		O
		ND(0.0013)	0.0045						L
	2020/6/8 8:42	ND(0.0012)	0.0035						O
		ND(0.0013)	0.0036						L
	2020/6/15 8:30	ND(0.0012)	0.0059	0.59		ND(14)			O
		ND(0.0013)	0.0054						L
	2020/6/22 8:26	ND(0.0013)	0.0040						O
		ND(0.0011)	0.0031						L
	2020/6/29 8:25	ND(0.0011)	0.0046						O
		ND(0.0012)	0.0041						L
2020/7/6 8:36	ND(0.00098)	0.0041	0.45	ND(1.9)	ND(13)	0.00082		O	
	ND(0.0011)	0.0073						L	
2020/7/13 8:29	ND(0.00099)	0.0027						O	
	ND(0.0011)	0.0025						L	
2020/7/20 8:30	ND(0.0014)	0.0030	ND(0.31)		ND(14)			O	
	ND(0.0012)	0.0036						L	
2020/7/27 8:26	ND(0.0012)	0.0041						O	
	ND(0.0013)	0.0030						L	
2020/8/3 8:57	ND(0.0010)	0.0039						O	
	ND(0.0012)	0.0086						L	
2020/8/11 8:22	ND(0.0011)	0.0041						O	
	ND(0.0012)	0.0035						L	
2020/8/17 8:28	<b>ND(0.0013)</b>	<b>0.0017</b>						O	
	<b>ND(0.0011)</b>	<b>0.0029</b>						L	
T-D9	2020/5/7 8:43	ND(0.0013)	0.0032	ND(0.35)	ND(2.3)	ND(13)	0.0014		O
		ND(0.0014)	0.0069						L
	2020/5/11 8:24	ND(0.0013)	0.0088						O
		ND(0.0014)	0.017						L
	2020/5/18 8:25	ND(0.0014)	0.0064	ND(0.33)		ND(12)			O
		ND(0.0014)	0.019						L
	2020/5/25 8:35	ND(0.0013)	0.0072						O
		ND(0.0014)	0.0053						L
	2020/6/1 8:28	ND(0.0014)	0.0057	0.39	ND(2.1)	ND(13)	0.00094		O
		ND(0.0014)	0.0042						L
	2020/6/8 8:55	ND(0.0014)	0.0045						O
		ND(0.0014)	0.0039						L
	2020/6/15 8:07	ND(0.0012)	0.0072	0.73		ND(14)			O
		ND(0.0012)	0.0036						L
	2020/6/22 9:06	ND(0.0014)	0.0041						O
		ND(0.0012)	0.0070						L
	2020/6/29 7:55	ND(0.0014)	0.0054						O
		ND(0.0013)	0.0083						L
2020/7/6 7:57	ND(0.0012)	0.0037	0.41	ND(1.9)	ND(15)	0.00093		O	
	ND(0.0011)	0.0053						L	
2020/7/13 8:09	ND(0.0012)	0.0057						O	
	ND(0.0013)	0.0029						L	
2020/7/20 8:06	ND(0.0011)	0.0048	ND(0.31)		ND(14)			O	
	ND(0.0012)	0.0031						L	
2020/7/27 9:18	ND(0.0010)	0.0031						O	
	ND(0.0010)	0.0041						L	
2020/8/3 9:23	ND(0.0012)	0.0088						O	
	ND(0.0013)	0.0047						L	
2020/8/11 7:49	ND(0.0013)	0.0048						O	
	ND(0.0014)	0.0054						L	
2020/8/17 9:19	<b>ND(0.0012)</b>	<b>0.0022</b>						O	
	<b>ND(0.0013)</b>	<b>0.0036</b>						L	

O: 上層 (表層~2m) Outer Layer  
L: 下層 (海底より2~3m上) Lower Layer

Cs-134

Cs-137


放射性物質濃度(検出下限値)(Bq/L)(ND※2:不検出)  
Radioactivity concentration (Lower detection limit) (Bq/L) (ND※2: Not Detectable)

T-11	2020/5/7 9:19	ND(0.0010)	0.0021	O
		ND(0.0011)	0.011	L
	2020/5/11 8:56	ND(0.0013)	0.0055	O
		0.0014	0.029	L
	2020/5/18 8:57	ND(0.0013)	0.0061	O
		ND(0.0014)	0.019	L
	2020/5/25 9:14	ND(0.0012)	0.0092	O
		ND(0.0014)	0.018	L
	2020/6/1 9:03	ND(0.0010)	0.0057	O
		ND(0.00098)	0.0043	L
	2020/6/8 9:29	ND(0.0010)	0.0033	O
		ND(0.0014)	0.0098	L
	2020/6/15 8:43	ND(0.0013)	0.0056	O
		ND(0.0012)	0.0093	L
	2020/6/22 9:39	ND(0.0012)	0.0066	O
		ND(0.0014)	0.011	L
	2020/6/29 8:23	ND(0.0013)	0.0059	O
		0.0015	0.027	L
	2020/7/6 8:33	ND(0.0012)	0.0047	O
		ND(0.0012)	0.0047	L
2020/7/13 8:41	ND(0.0012)	0.0063	O	
	ND(0.0013)	0.0076	L	
2020/7/20 8:37	ND(0.0012)	0.0037	O	
	ND(0.0010)	0.0045	L	
2020/7/27 9:54	ND(0.0013)	0.0038	O	
	ND(0.0011)	0.0086	L	
2020/8/3 10:14	ND(0.0012)	0.0034	O	
	ND(0.0012)	0.017	L	
2020/8/11 8:16	ND(0.0012)	0.0023	O	
	ND(0.0013)	0.0049	L	
2020/8/17 10:00	<b>ND(0.0014)</b>	<b>0.0028</b>	O	
	<b>ND(0.0012)</b>	<b>0.0039</b>	L	

T-14	2020/5/7 8:12	ND(0.0015)	0.0029	O
		ND(0.0019)	0.0047	L
	2020/5/11 8:02	ND(0.0015)	0.0037	O
		ND(0.0017)	0.0045	L
	2020/5/18 8:01	ND(0.0015)	0.0050	O
		ND(0.0015)	0.0052	L
	2020/5/25 7:51	ND(0.0015)	0.0047	O
		ND(0.0016)	0.0033	L
	2020/6/2 7:59	ND(0.0015)	0.0041	O
		ND(0.0015)	0.0032	L
	2020/6/8 7:52	ND(0.0016)	0.0042	O
		ND(0.0015)	0.0072	L
	2020/6/15 7:35	ND(0.0016)	0.0042	O
		ND(0.0015)	0.0030	L
	2020/6/22 7:40	ND(0.0016)	0.0028	O
		ND(0.0015)	0.0063	L
	2020/6/29 7:30	ND(0.0014)	0.0033	O
		ND(0.0017)	0.0068	L
	2020/7/6 7:40	ND(0.0016)	0.0035	O
		ND(0.0015)	0.0051	L
2020/7/13 7:42	ND(0.0015)	0.0037	O	
	ND(0.0015)	0.0048	L	
2020/7/20 7:43	ND(0.0015)	0.0042	O	
	ND(0.0014)	0.0031	L	
2020/7/27 7:41	ND(0.0017)	0.0029	O	
	ND(0.0017)	0.0023	L	
2020/8/3 7:48	ND(0.0014)	0.0037	O	
	ND(0.0017)	0.0058	L	
2020/8/11 7:32	ND(0.0014)	0.0038	O	
	ND(0.0015)	0.0031	L	
2020/8/17 7:37	<b>ND(0.0015)</b>	<b>0.0023</b>	O	
	<b>ND(0.0014)</b>	<b>0.0031</b>	L	

O: 上層(表層~2m) Outer Layer  
L: 下層(海底より2~3m上) Lower Layer

福島第一原子力発電所沿岸海域の海水採取ポイント  
 (Seawater sampling points near and around Fukushima Dai-ichi NPP)



\* 図中の×は東京電力ホールディングス(株)福島第一原子力発電所を示す。  
 \* The legend × indicates the location of TEPCO Fukushima Dai-ichi NPP.