



Cs-134	Cs-137	H-3	全α (gross α)	全β <sup>※3</sup> (gross β)	Sr-90	Pu-238	Pu-239+240
放射線物質濃度 (検出下限値) (Bq/L) (ND <sup>※2</sup> : 不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND <sup>※2</sup> : Not Detectable)							

T-5	2020/9/7 7:20	ND(0.0014)	0.0019						O	
		ND(0.0014)	0.0022						L	
	2020/9/16 7:20	ND(0.0013)	0.0014	ND(0.32)		17			O	
		ND(0.0013)	0.0023						L	
	2020/9/23 7:17	ND(0.0014)	0.0019						O	
		ND(0.0014)	0.0021						L	
	2020/9/28 7:22	ND(0.0011)	0.0021						O	
		ND(0.0011)	0.0029						L	
	2020/10/5 7:26	ND(0.0012)	0.0065	ND(0.29)	ND(2.1)	ND(12)	0.00098		O	
		ND(0.0012)	0.0027						L	
	2020/10/13 7:13	ND(0.0014)	0.0020					ND(0.0000055)	ND(0.0000051)	O
		ND(0.0012)	0.0034							L
	2020/10/19 7:19	ND(0.00099)	0.0013	ND(0.31)		ND(0.13)				O
		ND(0.0013)	0.0014							L
	2020/10/26 8:31	ND(0.0011)	0.0026							O
		ND(0.0011)	0.0020							L
	2020/11/2 8:26	ND(0.0014)	0.0023	ND(0.30)	ND(1.9)	ND(13)	0.00099			O
		ND(0.0011)	0.0021							L
	2020/11/10 7:24	ND(0.0013)	0.0023							O
		ND(0.0014)	0.0026							L
2020/11/16 8:20	ND(0.0014)	0.0017	0.34		ND(15)				O	
	ND(0.0013)	0.0013							L	
2020/11/24 8:32	ND(0.0012)	0.0024							O	
	ND(0.0012)	0.0024							L	
2020/12/1 8:26	ND(0.0014)	0.0025	0.47	ND(2.3)	ND(13)	ND(0.00076)			O	
	ND(0.0014)	0.0032							L	
2020/12/7 8:25	ND(0.0014)	0.0016							O	
	ND(0.0013)	0.0020							L	
2020/12/16 7:17	ND(0.0012)	0.0013							O	
	ND(0.0010)	0.0020							L	
2020/12/21 8:21	ND(0.0013)	0.0025							O	
	ND(0.0013)	0.0016							L	

T-D1	2020/9/7 8:01	ND(0.0013)	0.0057						O	
		ND(0.0011)	0.0051						L	
	2020/9/16 8:10	ND(0.0013)	0.010	ND(0.29)		ND(13)			O	
		ND(0.0012)	0.0025						L	
	2020/9/23 8:17	ND(0.0013)	0.0024						O	
		ND(0.0014)	0.0041						L	
	2020/9/28 8:08	0.0022	0.032						O	
		ND(0.0013)	0.011						L	
	2020/10/5 8:16	ND(0.0013)	0.014	0.52	ND(2.5)	15	0.0015		O	
		ND(0.0013)	0.0073						L	
	2020/10/14 8:03	ND(0.0014)	0.0065					ND(0.0000051)	ND(0.0000046)	O
		ND(0.0013)	0.0069							L
	2020/10/19 7:55	ND(0.0013)	0.0048	ND(0.30)		14			O	
		ND(0.0011)	0.0066						L	
	2020/10/26 7:54	ND(0.0012)	0.0091						O	
		ND(0.0013)	0.0061						L	
	2020/11/2 8:12	ND(0.0012)	0.0035	0.54	ND(2.1)	15	0.0013		O	
		ND(0.0013)	0.0040						L	
	2020/11/11 7:54	ND(0.0014)	0.0029						O	
		ND(0.0014)	0.0039						L	
2020/11/16 8:04	ND(0.0012)	0.0057	0.41		ND(15)			O		
	ND(0.0014)	0.0037						L		
2020/11/24 8:23	ND(0.0011)	0.0046						O		
	ND(0.0011)	0.0028						L		
2020/12/1 8:15	ND(0.0014)	0.0046	0.36	ND(1.8)	ND(13)	0.0010		O		
	ND(0.0013)	0.0050						L		
2020/12/7 8:10	ND(0.0014)	0.0043						O		
	ND(0.0011)	0.0027						L		
2020/12/15 8:03	ND(0.0013)	0.0037						O		
	ND(0.0012)	0.013						L		
2020/12/21 8:05	ND(0.0011)	0.0028						O		
	ND(0.0011)	0.0034						L		

O: 上層 (表層~2m) Outer Layer  
L: 下層 (海底より2~3m上) Lower Layer

Cs-134	Cs-137	H-3	全α (gross α)	全β <sup>※3</sup> (gross β)	Sr-90	Pu-238	Pu-239+240
放射線物質濃度 (検出下限値) (Bq/L) (ND <sup>※2</sup> : 不検出) Radioactivity concentration (Lower detection limit) (Bq/L) (ND <sup>※2</sup> : Not Detectable)							

T-D5	2020/9/7 8:30	ND(0.0012) ND(0.0014)	0.0084 0.0044						O L
	2020/9/16 8:40	0.0013 ND(0.0014)	0.019 0.0047	0.32		15			O L
	2020/9/23 8:45	ND(0.0012) ND(0.0013)	0.0021 0.0031						O L
	2020/9/28 8:35	ND(0.0014) ND(0.0014)	0.025 0.0060						O L
	2020/10/5 8:46	ND(0.0013) ND(0.0012)	0.0086 0.0035	0.34	ND(2.5)	ND(12)	0.0010		O L
	2020/10/14 8:29	ND(0.0012) ND(0.0012)	0.0050 0.0056					ND(0.0000061) 0.0000061	O L
	2020/10/19 8:20	ND(0.00096) ND(0.0011)	0.0040 0.0041	ND(0.30)		18			O L
	2020/10/26 8:20	ND(0.0010) ND(0.0011)	0.0082 0.0035						O L
	2020/11/2 9:24	ND(0.0013) ND(0.0012)	0.0034 0.0025	0.59	ND(2.1)	13	0.0010		O L
	2020/11/11 8:19	ND(0.0011) ND(0.0012)	0.0031 0.0024						O L
	2020/11/16 8:35	ND(0.0010) ND(0.0012)	0.0029 0.0030	0.52		ND(15)			O L
	2020/11/24 8:51	ND(0.0012) ND(0.0012)	0.0026 0.0026						O L
	2020/12/1 8:49	ND(0.0011) ND(0.0011)	0.0038 0.0029	0.53	ND(1.8)	ND(13)	ND(0.00073)		O L
	2020/12/7 8:40	ND(0.0010) ND(0.0012)	0.0037 0.0029						O L
	2020/12/15 8:29	ND(0.0013) ND(0.0014)	0.0031 0.0042						O L
	2020/12/21 8:35	ND(0.0014) ND(0.0014)	0.0027 0.0021						O L

T-D9	2020/9/7 8:20	ND(0.0014) ND(0.0014)	0.0096 0.0080						O L
	2020/9/16 8:11	ND(0.00098) ND(0.0013)	0.0096 0.0071	ND(0.32)		ND(13)			O L
	2020/9/23 8:15	ND(0.0012) ND(0.0013)	0.0032 0.0034						O L
	2020/9/28 8:20	ND(0.0012) ND(0.00097)	0.023 0.0044						O L
	2020/10/5 8:19	ND(0.0014) ND(0.0013)	0.0081 0.0040	ND(0.29)	ND(2.1)	ND(12)	0.00095		O L
	2020/10/13 8:02	ND(0.0012) ND(0.0012)	0.021 0.0061					ND(0.0000054) 0.0000061	O L
	2020/10/19 8:10	ND(0.0012) ND(0.0014)	0.0089 0.0059	0.42		ND(13)			O L
	2020/10/26 9:40	ND(0.00095) ND(0.00093)	0.0059 0.0052						O L
	2020/11/2 9:44	ND(0.0011) ND(0.0013)	0.0031 0.0042	0.31	ND(1.9)	ND(12)	0.0011		O L
	2020/11/10 8:19	ND(0.0012) ND(0.0013)	0.0031 0.0029						O L
	2020/11/16 9:25	ND(0.0013) ND(0.0013)	0.0065 0.0052	ND(0.29)		ND(15)			O L
	2020/11/24 9:38	ND(0.0013) ND(0.0013)	0.0037 0.0042						O L
	2020/12/1 9:32	ND(0.0011) ND(0.0013)	0.0026 0.0025	ND(0.28)	ND(1.9)	ND(13)	0.00079		O L
	2020/12/7 9:47	ND(0.0013) ND(0.0013)	0.0044 0.0037						O L
	2020/12/16 8:13	ND(0.0012) ND(0.0012)	0.0033 0.0020						O L
	2020/12/21 9:30	ND(0.0012) ND(0.0010)	0.0020 0.0024						O L

○: 上層 (表層~2m) Outer Layer  
↓: 下層 (海底より2~3m上) Lower Layer

Cs-134

Cs-137


放射性物質濃度(検出下限値)(Bq/L)(ND※2:不検出)  
Radioactivity concentration (Lower detection limit) (Bq/L) (ND※2: Not Detectable)

T-11	2020/9/7 8:57	ND(0.0012)	0.0073	O
		ND(0.0014)	0.0065	L
	2020/9/16 8:40	0.0021	0.032	O
		ND(0.0012)	0.0051	L
	2020/9/23 8:47	ND(0.0014)	0.0038	O
		ND(0.0012)	0.0043	L
	2020/9/28 8:51	0.0021	0.026	O
		ND(0.0014)	0.0060	L
	2020/10/5 8:55	ND(0.0014)	0.0060	O
		ND(0.0014)	0.0049	L
	2020/10/13 8:28	ND(0.0013)	0.022	O
		ND(0.0011)	0.0070	L
	2020/10/19 8:42	ND(0.0014)	0.0063	O
		ND(0.0012)	0.0066	L
	2020/10/26 10:23	ND(0.0012)	0.0064	O
		ND(0.0014)	0.0069	L
	2020/11/2 10:35	ND(0.0013)	0.0053	O
		ND(0.0013)	0.0033	L
	2020/11/10 8:48	ND(0.0012)	0.0048	O
		ND(0.0013)	0.0034	L
2020/11/16 10:08	ND(0.0012)	0.0055	O	
	ND(0.0013)	0.0048	L	
2020/11/24 10:15	ND(0.0012)	0.0049	O	
	ND(0.0013)	0.0041	L	
2020/12/1 10:31	ND(0.0013)	0.0059	O	
	ND(0.0013)	0.0069	L	
2020/12/7 10:31	ND(0.0013)	0.0048	O	
	ND(0.0013)	0.0045	L	
2020/12/16 8:43	<b>ND(0.0010)</b>	<b>0.0074</b>	O	
	<b>ND(0.0012)</b>	<b>0.0076</b>	L	
2020/12/21 10:11	<b>ND(0.0013)</b>	<b>0.0065</b>	O	
	<b>ND(0.0014)</b>	<b>0.0052</b>	L	

T-14	2020/9/7 7:41	ND(0.0016)	0.0031	O
		ND(0.0014)	0.0052	L
	2020/9/16 7:44	ND(0.0015)	0.0046	O
		ND(0.0015)	0.0024	L
	2020/9/23 7:57	ND(0.0016)	0.0025	O
		ND(0.0014)	0.0029	L
	2020/9/28 7:44	ND(0.0018)	0.036	O
		ND(0.0017)	0.0054	L
	2020/10/5 7:51	ND(0.0014)	0.0040	O
		ND(0.0014)	0.0046	L
	2020/10/14 7:39	ND(0.0014)	0.0047	O
		ND(0.0015)	0.0039	L
	2020/10/19 7:36	ND(0.0015)	0.0051	O
		ND(0.0014)	0.018	L
	2020/10/26 7:34	ND(0.0014)	0.0033	O
		ND(0.0014)	0.0035	L
	2020/11/2 7:41	ND(0.0015)	0.0033	O
		ND(0.0015)	0.0032	L
	2020/11/11 7:36	ND(0.0015)	0.0026	O
		ND(0.0016)	0.0030	L
2020/11/16 7:43	ND(0.0014)	0.0031	O	
	ND(0.0015)	0.0022	L	
2020/11/24 8:00	ND(0.0018)	0.0022	O	
	ND(0.0014)	0.0023	L	
2020/12/1 7:47	ND(0.0014)	0.0031	O	
	ND(0.0014)	0.0030	L	
2020/12/7 7:47	ND(0.0014)	0.0030	O	
	ND(0.0014)	0.0032	L	
2020/12/15 7:46	<b>ND(0.0015)</b>	<b>0.0029</b>	O	
	<b>ND(0.0014)</b>	<b>0.0033</b>	L	
2020/12/21 7:39	<b>ND(0.0014)</b>	<b>0.0031</b>	O	
	<b>ND(0.0013)</b>	<b>0.0031</b>	L	

O: 上層(表層~2m) Outer Layer  
L: 下層(海底より2~3m上) Lower Layer

福島第一原子力発電所沿岸海域の海水採取ポイント  
 (Seawater sampling points near and around Fukushima Dai-ichi NPP)



\* 図中の×は東京電力ホールディングス(株)福島第一原子力発電所を示す。  
 \* The legend × indicates the location of TEPCO Fukushima Dai-ichi NPP.